




निर्णय नं.१

सार्वजनिक खरिद नियमावली २०६४ को नियम १४८, उपनियम १ बमोजिम स्याङ्जा जिल्लाको ज्याला दररेट निर्धारण गर्न बसेको बैठकले निम्न अनुसार ज्याला दररेट निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
क)	कामदारको ज्याला					
१)	ज्यामी/भरिया		८००.०	८००.०	८००.०	
२)	क) दक्ष कामदार, डकर्मी, सिकर्मी, नकर्मी ख अर्धदक्ष कामदार		१०००.०	१०००.०	१०००.०	
३)	सभैँ हेल्पर		९१५.०	९१५.०	९१५.०	
४)	चेनमेन, स्टाफ मेन, लेन्थमेन		७५५.०	७५५.०	७५५.०	
५)	माली/नर्सरी नाइके/हेरालू		६९०.०	६९०.०	६९०.०	
६)	स्वीपर		६९०.०	६९०.०	६९०.०	
७)	प्लम्बर रक डीलर/ब्ल्याटर/वैल्डर		१०२०.०	१०२०.०	१०२०.०	
८)	चौकीदार		६९०.०	६९०.०	६९०.०	
९)	सूपर भाइजर/मोटीभेटर/सहजकर्ता/गेट अपरेटर			०.०	०.०	
	अ) एस.एल.सी. पास वा सिनियर		८९०.०	८९०.०	८९०.०	
	आ) एस.एल.सी. पास नभएको वा जूनियर		७५५.०	७५५.०	७५५.०	
१०)	क्याम्प वर्कर		७९५.०	७९५.०	७९५.०	
११)	स्याम्पलर/खनेल	प्रति दिन	७९५.०	७९५.०	७९५.०	
१२)	माइनिङ सभैँ हेल्पर		७९५.०	७९५.०	७९५.०	
१३)	एस.पि.टी. हेल्पर भू-गर्भ सम्बन्धी		७९५.०	७९५.०	७९५.०	
१४)	अगर ड्रिलर हेल्पर भूगर्भ सम्बन्धी		७९५.०	७९५.०	७९५.०	
१५)	ल्याव ब्वाई		७९५.०	७९५.०	७९५.०	
१६)	मलाह तथा मत्स्य जलारी		७८०.०	७८०.०	७८०.०	
१७)	सवारी चालक		५०.०	५०.०	५०.०	
	अ) हलुका सवारी चालक		८३०.०	८३०.०	८३०.०	
	आ) हेभी सवारी चालक		८९०.०	८९०.०	८९०.०	
१७)	यसमा ज्याला दररेट नतोकेको पदमा भर्ना गरी ज्यालादारीमा काम गराउ दा जून पदमा काम लगाईने हो सो पदको नेपाल सरकार/संस्थान को शूरु स्केल तलव र भत्तालाई २६ ले भाग गरी हुन आउने रकमलाई दैनिक ज्याला कायम गर्ने ।					
१८)	चौकीदार	प्रति महिना	१५०००.०	१५०००.०	१५०००.०	
१९)	सेफ्टी टंकी सफा गर्ने कामदार को लागी कामदारको रेटको लागी २ ले गुणा गर्ने					
२०)	सेनीटरी नाली सफा गर्ने कामदार को लागी कामदारको रेटको लागी १.५ ले गुणा गर्ने					

यससमा उल्लेखित कामदारको काम गर्ने बसमाय फिल्डको लागि ८ (आठ) र कार्यालय हाजर हुनेको लागि कार्यालय समय अवधिभर कायम गरिएको छ ।

सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
निर्णय नं.२						
ढुवानी दर तथा ढुवानी भाडा सम्बन्धमा आ.व. ०७८/७९ को लागि स्याङ्जा जिल्लाभित्र सामान ढुवानी गर्नुपर्दा देहाय अनुसारको ढुवानी दर तथा ढुवानी भाडा तोक्ने निर्णय गरियो ।						
सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
क)	मानिस (भरिया) द्वारा ढुवानी					
१)	सजिलो समान डोको वा बोरामा राखी बोक्न मिल्ने जस्तै : चिनी, नुन, चामल आदि ।	प्रति के.जी. प्रति कोष	२।४२	२।४२	२।४२	
२)	असजिलो समान जस्तै ग्यावियन जाली, औषधी, सीसा आदि ।		२।६४	२।६४	२।६४	
३)	जि.आई.पाईप, एच.डि.पी. पाईप, भोलुङ्गे पुलका लडाहरु, इलेक्ट्रिक पोलहरु विभिन्न साइजका (६मी. लम्बाईसम्म)	प्रति के.जी. प्रति कोष	४।९५	४।९५	४।९५	
४)	बिजुलीको पोल ६ मी. भन्दा बढी लम्बाई भएको काठ र सिमेन्ट पोल तथा स्टिल पोल समेत	प्रति के.जी. प्रति कोष	८।८०	८।८०	८।८०	
५)	ट्रान्सफर्मर ढुवानी		३३।००	३३।००	३३।००	
ख)	सवारी साधनबाट ढुवानी (१० टन क्षमता)			०।००	०।००	
१)	अन्य राजमार्गबाट लामो दूरी	प्रति कि.मी. प्रति क्विन्टल	२।६४	२।६४	२।६४	२० कि.मी. भन्दा माथिको लामो दूरी मानिएको
२)	पीच सडक छोटो दूरी		३।०८	३।०८	३।०८	
३)	कच्ची बाटोमा		१२।१०	१२।१०	१२।१०	
४)	ग्राभेल बाटोमा		८।२५	८।२५	८।२५	
५)	पोलिथिन पाइप गाडीबाट ढुवानी गर्दा तौलको आधारमा ट्रिप पूर्याउने प्रयोजनको लागि माथि उल्लेखित दर रेटलाई २.५ ले गुणा गरी दर कायम गर्ने ।					
ग)	लोड/अन्लोड गर्ने काम					
१)	सजिलो सामान तौल निर्धारण भएको	प्रति क्विन्टल	१।८।७०	१।८।७०	१।८।७०	
२)	तौल निर्धारण नभएको	प्रति ट्रक	१६५।०।००	१६५।०।००	१६५।०।००	
घ)	ढुवानी सम्बन्धी अन्य व्यवस्था : विशेष अवस्थामा कुनै भरियाले ४(चार) कोष टाढा ढुवानी नगरी २.० कोष माथिको दुरीमा ढुवानी गर्न परेमा त्यस्तो अवस्थामा निजलाई १ दिनको ज्याला दिन सकिने ।			०।००		
ङ)	सवारी साधन/ओजार भाडामा लिंदा (इन्धन, ड्राइभर र हेल्परको भत्ता समेत)			०।००		
१)	जीप, ट्रयाक्स	प्रति दिन	६७०।०।००	६७०।०।००	६७०।०।००	
२)	पावर टेलर (सानो)		२५५।०।००	२५५।०।००	२५५।०।००	
३)	ट्रयाक्टर (ठूलो)		५५०।०।००	५५०।०।००	५५०।०।००	
४)	मिनी ट्रक		६९३६।००	६९३६।००	६९३६।००	
५)	ट्रक (१० टन सम्म)		९९८।०।००	९९८।०।००	९९८।०।००	
६)	ट्रिपर	प्रति दिन	१२२४।०।००	१२२४।०।००	१२२४।०।००	
७)	मिक्सचर + भाइब्रेटर		८९६।०।००	८९६।०।००	८९६।०।००	
८)	रोलर (६ टनसम्मको क्षमता)	प्रति घण्टा	१०२।०।००	१०२।०।००	१०२।०।००	तेल बाहेक
९)	रोलर (१२ टनसम्मको क्षमता)		१५३।०।००	१५३।०।००	१५३।०।००	
१०)	लोडर (१.७५ देखि २.५ घ.मी. क्षमता भएको)		१३२६।००	१३२६।००	१३२६।००	
११)	डोजर - (क) १५० देखि १८० हर्स पावर भएको		२४४८।००	२४४८।००	२४४८।००	
	ख) १८० देखि २४० हर्स पावर भएको		२८५६।००	२८५६।००	२८५६।००	
१२)	एक्सामेटर - (क) १५० देखि १८० हर्स पावर भएको		२४४८।००	२४४८।००	२४४८।००	
	ख) १८० देखि २४० हर्स पावर भएको		२८५६।००	२८५६।००	२८५६।००	
१३)	विटमिन डिस्टिब्यूटर		१५३।०।००	१५३।०।००	१५३।०।००	
१४)	ग्रेडर		१८३६।००	१८३६।००	१८३६।००	
१५)	ब्रेकर (डोजर बाहेक)		१३२६।००	१३२६।००	१३२६।००	
च)	टँकर बाट पानी ढुवानी (४००० लिटर)	टँकर	७९।४।००	७९।४।००	७९।४।००	



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
निर्णय नं. ३ आ.व.०७८/०७९ को लागि जिल्लाभित्र सहज रूपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरूको प्रचलित स्थानिय दररेट तथा बाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको स्याङ्जा स्थित बजार मुल्यको आधारमा देहायका सामग्रीहरूको देहाय अनुसार दररेट कायम गर्ने निर्णय गरियो						
सि.नं.	निर्माण सामग्रीको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
	सिमेन्ट					
१	नेपाली सिमेन्ट(५०के.जी. ब्याग) - हेटौडा, उदयपुर	बोरा	कारखानाको मुल्यमा ढुवानी			
	नेपाली सिमेन्ट(५०के.जी. ब्याग) अन्य PPC		७२०१००	७२०१००	७२०१००	
	नेपाली सिमेन्ट(५०के.जी. ब्याग)जगदम्बा, शिवम, मारुती, Ultra or equivalent OPC		८२५१००	८२५१००	८२५१००	
२	इण्डियन सिमेन्ट (५० के.जी. ब्याग) - ४३ ग्रेड		७९०१००	७९०१००	७९०१००	
	□ ५३ ग्रेड		८००१००	८००१००	८००१००	
३	हवाइट सिमेन्ट (५० के.जी. ब्याग)		१३००१००	१३००१००	१३००१००	
३ क	सिलिका सिमेन्ट एडमिक्सचर	के.जी.	३३०१००	३३०१००	३३०१००	
ख)	Durakrit admixture		५००१००	५००१००	५००१००	
ग)	Durasupaspred admixture		१५०१००	१५०१००	१५०१००	
घ)	Duramicro silics admixture		१००१००	१००१००	१००१००	
ङ)	Duraepoxy admixture		२५००१००	२५००१००	२५००१००	
	फलामे छुड					
४	फलामे छुड - ५ देखि ७ मी.मी.	के.जी.	८४१००	८४१००	८४१००	
	- १० देखि २५ मी.मी.		८०१००	८०१००	८०१००	
	- ८ र २५ देखि ३२ मी.मी.		८४१००	८४१००	८४१००	
५	बाइण्डिङ तार		१०५१००	१०५१००	१०५१००	
६	किला, काटी		१०५१००	१०५१००	१०५१००	
७	फलामे पाता Mild Steel Plate 2.5, 4.0, & 5mm		१२०१००	१२०१००	१२०१००	
८	सिमेन्टको खाली बोरा	नोटा	७५०	७५०	७५०	
९	साधारण प्लाइउड	व.फी.				
	क) ३ मी.मी.		२०१००	२०१००	२०१००	
	ख) ४ मी.मी.		२५१००	२५१००	२५१००	
१०	वाटर प्रूफ प्लाइउड	व.फी.				
	क) ४ मी.मी.		४५११०	४५११०	४५११०	
	ख) ६ मी.मी.		४७३०	४७३०	४७३०	
	ग) ८ मी.मी.		६३८०	६३८०	६३८०	
	घ) १२ मी.मी.		६९१३०	६९१३०	६९१३०	
११	सन्माइका		४७३०	४७३०	४७३०	
१२	रबर शिल १२०/२३०	र.मी.	४९५१००	४९५१००	४९५१००	
१३	ईटा	हजार				
	क) चाइनिज इट्टा (तेलिया)		१८९००१००	१८९००१००	१८९००१००	
	ख) चिम्नी भट्टाको ईटा जामुनेको लोकल		१४७००१००	१४७००१००	१४७००१००	
	ग) चिम्नी भट्टाको ईटा भैरहवाको		१६८००१००	१६८००१००	१६८००१००	
	घ) ठाडो भट्टाको ईटा		११०००१००	११०००१००	११०००१००	
	ङ) स्थानिय स्तरको लोकल ईटा		८०००१००	८०००१००	८०००१००	
१४	बालुवा (राम्रो)	घ.मी.	६०००१००	६०००१००	६०००१००	
१५	बालुवा साधरण	घ.मी.	१९००१००	२०५०१००	२०५०१००	
१६	बोल्डर ढुंगा		१४७०१००	१५८७१००	१५८७१००	
१७	क)फोरवा ढुंगा		१०००१००	११००१००	११००१००	
	ख)कुदेको ढुंगा		१२६०१००	१२६०१००	१२६०१००	
	खोलाको नचालेको गिट्टी		४३००१००	४३००१००	४३००१००	
			१३१०१००	१३१०१००	१३१०१००	

Handwritten signatures and marks at the bottom of the page.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
१८	नदीको रिबरबेड मेटेरियल (River bed materials, Browed and filling materials)	घ.मी.	११००।००	११००।००	११००।००	
	खानीबाट निकालिएको ग्रेभल (Granual materials, Browed and filling materials)	घ.मी.	८००।००	८००।००	८००।००	
	खोलाको चालेको गिट्टी					
	क) ठुलो (२५मी.मी भन्दा ठुलो)	घ.मी.	१६८०।००	१६८०।००	१६८०।००	
	ख) मझौला (१०मी.मी.देखि २५मी.मी.सम्मको)		१७५०।००	१७५०।००	१७५०।००	
	ग) सानो (१०मी.मी. भन्दा सानो)		१८००।००	१८००।००	१८००।००	
	लोकल चिप्स (० देखि १९ मिमि),वेस डस्ट	घ.मी.	१४००।००	१४००।००	१४००।००	
	लोकल चिप्स (५ देखि १० मिमि)		१४००।००	१४००।००	१४००।००	
	लोकल चिप्स (१० देखि १४ मिमि)		२०००।००	२०००।००	२०००।००	
	रोड बेस (० देखि ४० मिमि)		१८००।००	१८००।००	१८००।००	
	कूटेको गिट्टी					
	क) ठुलो (२५मी.मी भन्दा ठुलो)	घ.मी.	१९५०।००	१९५०।००	१९५०।००	
	ख) मझौला (१०मी.मी.देखि २५मी.मी.सम्मको)		२२००।००	२२००।००	२२००।००	
	ग) सानो (१०मी.मी. भन्दा सानो)		२३५०।००	२३५०।००	२३५०।००	
	गारो लगाउने माटो (ढुवानी समेत)	घ.मी.	०।००	०।००	०।००	
क) साधारण माटो	५५०।००		५५०।००	५५०।००		
ख) रातो माटो	६००।००		६००।००	६००।००		
२१	सिमेन्ट कंक्रीट ब्लक		०।००			
	क) ब्लक साइज ४"X८"X१६"	मोटा	३५।००	३५।००	३५।००	
	ख) ब्लक साइज ६"X८"X१६"		४२।००	४२।००	४२।००	
	ग) ब्लक साइज ८"X८"X१६"		५०।००	५०।००	५०।००	
	घ) ब्लक साइज ८"X८"X८"	मोटा	३०।००	३०।००	३०।००	
	ड) ब्लक साइज ४"X१२"X१२"		५०।००	५०।००	५०।००	
च) ब्लक साइज ७"X७"X१९"	५५।००		५५।००	५५।००		
२१।१ AAC हलुका Blocks						
क) ब्लक साइज २४"X४"X८"	मोटा	१३५।००	१३५।००	१३५।००	खुब् बाहेक	
ख) ब्लक साइज २४"X६"X८"		२०६।००	२०६।००	२०६।००		
ग) ब्लक साइज २४"X८"X८"		२७४।००	२७४।००	२७४।००		
२१।२ AAC Mortar (४०केजी)	बोरा	१७७०।००	१७७०।००	१७७०।००		
२२ बूटेदार स्क्रिन जाली भ्याल	मोटा	५५।००	५५।००	५५।००		
२३ आर.सि.सि. त्रिकोश ६"X३"		१७८५।००	१७८५।००	१७८५।००		
२४ सिमेन्ट कन्क्रीट रोड कर्व (50*10*30) से.मी.		२००।००	२००।००	२००।००		
२५ सिमेन्ट कन्क्रीट रोड कर्व (50*12*30) से.मी.	मोटा	२२५।००	२२५।००	२२५।००		
२६ खाक्सी (१२"X१०")	सिट	१५।००	१५।००	१५।००		
२७	अलकत्रा (बिटुमीन)	के.जी.		०।००		
	क) ८०/१०० ग्रेड		७९।४५	८०।००	८०।००	
	ख) बिटुमीन ईमलसन् - छिटो जम्ने ६०% बिटुमीन		७९।००	७९।००	७९।००	
	मध्यम जम्ने ६०% बिटुमीन	के.जी.	७९।००	७९।००	७९।००	
	ढिलो जम्ने ६०% बिटुमीन		४००।००	४००।००	४००।००	
ग)एन्टि स्टिरिपिड तिक्किड						
रंगरोगन सम्बन्धी				०।००		
२८	क) गम सामान्य	के.जी.	२९०।००	२९०।००	२९०।००	
	ख) गम राम्रो (कोल)		२८०।००	२८०।००	२८०।००	
२९	रेजिन पेन्ट		१५०।००	१५०।००	१५०।००	
३०	अस्तर (Primer) पेन्ट (फलामको काम)	लिटर	२८५।००	२८५।००	२८५।००	
	अस्तर (Primer) पेन्ट (काठको काम)		३९०।००	३९०।००	३९०।००	
३१	इनामेल पेन्ट		५५०।००	५५०।००	५५०।००	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp and several cursive signatures.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७६/७९ को दर रेट ने.रु.	कैफियत
३२	स्नोसेम सिमेन्ट पेन्ट	क.जी.	६०१००	६०१००	६०१००	
	एल्मूनियम पेन्ट		६१०१००	६१०१००	६१०१००	
३३	जिक रेड अक्साइड		३९०१००	३९०१००	३९०१००	
३४	डिस्पेम्पर पेन्ट		२६०१००	२६०१००	२६०१००	
३५	लिडसिड आयल	लिट्र	२००१००	२००१००	२००१००	
३६	तारपेन्टाइन तेल		१५०१००	१५०१००	१५०१००	
३७	वार्नेस पेन्ट (सिन्थेटिक)		२००१००	२००१००	२००१००	
३८	प्लाष्टिक इमल्सन पेन्ट			०१००		
३९	क) इमल्सन पेन्ट (वेदर कोट एक्सटेरियर)		८४०१००	८४०१००	८४०१००	
४०	ख) इमल्सन पेन्ट (इन्टेरियर कोट)		६००१००	६००१००	६००१००	
४१	सफेदा पेन्ट	लिट्र	१७५१००	१७५१००	१७५१००	
४२	गेरु रेड अक्साइड		२६०१००	२६०१००	२६०१००	
४३	सरेस पेन्ट राम्रो		१६५१००	१६५१००	१६५१००	
४४	अलकत्रा पेन्ट साधारण		१००१००	१००१००	१००१००	
४५	रबर पेन्ट		२००१००	२००१००	२००१००	
४६	चूना नं. १	क.जी.	२५१००	२५१००	२५१००	
४७	चूना नं. २		२२१००	२२१००	२२१००	
	काठ सम्बन्धी					
४८	साल काठ कटानी चिरानी ढुवानी (तराईको राम्रो)		४८००१००	४८००१००	४८००१००	
४९	साल काठ कटानी चिरानी ढुवानी (स्थानीय)		३२००१००	३२००१००	३२००१००	
५०	सिसौ काठ कटानी चिरानी ढुवानी	घ.फि.	३०००१००	३०००१००	३०००१००	
५१	अन्य कु काठ कटानी चिरानी ढुवानी		१३००१००	१३००१००	१३००१००	
५२	सल्ला काठ कटानी चिरानी ढुवानी		१३००१००	१३००१००	१३००१००	
५३	दाउरा	क्विन्टल	९००१००	९००१००	९००१००	
५४	काठको लिस्टी	र.फि.	२०१००	२०१००	२०१००	
५५	साइनबोर्ड लेखाई (साल काठको फेममा)	व.फि.	३००१००	३००१००	३००१००	
५६	कार्मिङ् स्ट्याण्डर्ड ढोका	व.फि.	२४००१००	२४००१००	२४००१००	
५७	सिसौ काठ (३"हृ") रेलिङ् भन्याङ्	र.फि.	७५०१००	७५०१००	७५०१००	
५८	सिसौ काठ (२.५") श्रवणिकतवबमम ठाडो काठ फिटिङ् सहित	गोटा	८५०१००	८५०१००	८५०१००	
	विद्युत तथा विद्युतिकरण सम्बन्धी					
५९	१/२" प्लाष्टिक लिष्टी	र.मी.	३६१७५	३६१७५	३६१७५	
६०	३/४" प्लाष्टिक लिष्टी	र.मी.	३७६८०	३७६८०	३७६८०	
६१	एकजस्ट फेन फेम सहित क्षुङ् फिटिङ् सहित	गोटा	३२००१००	३२००१००	३२००१००	
६२	५६.१ पानी तान्ने मोटर पम्प (फिटिङ् सहित)					
	क) ईण्डियन ०.५० जण	गोटा	६५००१००	६५००१००	६५००१००	
	ख) ईण्डियन १.०० जण		९८००१००	९८००१००	९८००१००	
	ग) चाईनिज ०.५० जण		१४००१००	१४००१००	१४००१००	
	५६.२ पानी तान्ने मोटर पम्प SUBMERSIBLE					
	१) ईण्डियन १.० H.P.	गोटा	३००००१००	३००००१००	३००००१००	
	२) ईण्डियन १.५ H.P.	गोटा	३३०००१००	३३०००१००	३३०००१००	
	३) ईण्डियन २.० H.P.	गोटा	४८०००१००	४८०००१००	४८०००१००	
	४) ईण्डियन ३.० H.P.	गोटा	५५०००१००	५५०००१००	५५०००१००	
	५) ईण्डियन ५.० H.P.	गोटा	८००००१००	८००००१००	८००००१००	
	६) ईण्डियन ७.५ H.P.	गोटा	११००००१००	११००००१००	११००००१००	
	७) ईण्डियन १०.० H.P.	गोटा	१३००००१००	१३००००१००	१३००००१००	

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
	८) ईण्डियन १२.५ H.P.	गोटा	१६००००१००	१६००००१००	१६००००१००	
	९) ईण्डियन १५.० H.P.	गोटा	१७००००१००	१७००००१००	१७००००१००	
	१०) ईण्डियन १९.५ H.P.	गोटा	१८५०००१००	१८५०००१००	१८५०००१००	
	११) ईण्डियन २५.० H.P.	गोटा	२०००००१००	२०००००१००	२०००००१००	
६३	८ एम.एम. केवल तार N.S.	मि.	४३१००	४३१००	४३१००	
	विद्युत पोल			०१००		
६४	विजुली कंक्रीट पोल ८ मी. लामो PCS	गोटा	८०८५१००	८०८५१००	८०८५१००	
	□ ६ मी. लामो PCS	गोटा	१०५००१००	१०५००१००	१०५००१००	
	□ १०.८ मी. लामो PCS	गोटा	१७८५०१००	१७८५०१००	१७८५०१००	
६५	विजुली स्टील टिबुलर पोल तल्लोभाग गेल्भनाइज गरिएको हेभीपिट मी.लामो १०५के जी	गोटा	१५९०७५०	१५९०७५०	१५९०७५०	
	हेभी - ६ मी लामो १४७के जी		२३९५२५०	२३९५२५०	२३९५२५०	
	हेभी - १० मी लामो १६० के जी		२५२००१००	२५२००१००	२५२००१००	
	हेभी- ११ मी लामो १७५ के जी.		२७५६२५०	२७५६२५०	२७५६२५०	
६५.१	स्टील टिबुलर पोल तल्लो भाग गेल्भनाइज गरेको	के.जी.	१५७५०	१५७५०	१५७५०	
६५.२	टेलिस्कोपिक पोल तल्लो भाग गेल्भनाइज गरेको		१९४१२५	१९४१२५	१९४१२५	
६५.३	स्टील टिबुलर पोल तल्लो भाग पेन्टीड गरेको		१४७००	१४७००	१४७००	
६५.४	Pole accessories with galvination (Clamp , Nuts, Bolts ,anchorage rod support hook)	के.जी.	२८०१००	२८०१००	२८०१००	
६५.५	Pole clamp (MS)	गोटा	१८५१००	१८५१००	१८५१००	
६५.६	Nuts and Bolts for pole	गोटा	२३०१००	२३०१००	२३०१००	
६६	Stay Insulator (LT)	गोटा	९२१००	९२१००	९२१००	
	11KV Butta type fuse link 1 to 20 Amp.	गोटा	१२७००	१२७००	१२७००	
६७	11 KV Disc Insulator	सेट	९५०१००	९५०१००	९५०१००	
६८	Pin Insulator set	सेट	४००१००	४००१००	४००१००	
६९	Pin Insulator tie	सेट	५८१००	५८१००	५८१००	
का	11 KVA Pin Insulator	सेट	४४५१००	४४५१००	४४५१००	
ख	33 KVA Pin Insulator	सेट	९००१००	९००१००	९००१००	
७०	Support Hook Channel (MS) for pole	के.जी.	१८५१००	१८५१००	१८५१००	
७१	D Iron Shackle set	सेट	१५०१००	१५०१००	१५०१००	
७२	Complete Stay set	सेट	१४५०१००	१४५०१००	१४५०१००	
७३	Stay wire	के.जी.	१६०१००	१६०१००	१६०१००	
७४	Stay Insulator HT	गोटा	१७०१००	१७०१००	१७०१००	
७५	Brassing Plate for pole MS	के.जी.	१८५१००	१८५१००	१८५१००	
७६	33 KVA lighting Arrestor (3 pcs set)	सेट	५९०००१००	५९०००१००	५९०००१००	
७७	Drop Out Fuse set 11KVA (3 pcs set)	सेट	१२०००१००	१२०००१००	१२०००१००	
७८	9KVA Lighting Arrestor (3 pcs set)	सेट	९०००१००	९०००१००	९०००१००	
७९	Cable shoes (95 or 120)	गोटा				
का	Cable shoes (50mm)	गोटा	९०१००	९०१००	९०१००	
ख	Cable shoes (70mm)	गोटा	१५०१००	१५०१००	१५०१००	
ग	Cable shoes (95mm)	गोटा	१५८१००	१५८१००	१५८१००	
८०	Earthing set	सेट				
a)	Copper coated earthing rod	गोटा	२४००१००	२४००१००	२४००१००	
b)	Copper earthing plate	के.जी.	१७५०१००	१७५०१००	१७५०१००	
c)	Copper wire (Transformer to plate)	के.जी.	१७५०१००	१७५०१००	१७५०१००	
८१	Dead end clamp	सेट	३८०१००	३८०१००	३८०१००	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
द२	11/0.4KV , NEA Standard, Low Loss NEEK or Equivalent Transformer					
क)	25 KVA	गोटा	२६९४००१००	२६९४००१००	२६९४००१००	
ख)	50 KVA	गोटा	३७३०००१००	३७३०००१००	३७३०००१००	
ग)	100 KVA	गोटा	५९००००१००	५९००००१००	५९००००१००	
घ)	150 KVA	गोटा	८०००००१००	८०००००१००	८०००००१००	
ङ)	200 KVA	गोटा	९०२३९००१००	९०२३९००१००	९०२३९००१००	
द३	4 core Insulation cable(70mm)	मि.	७००१००	७००१००	७००१००	
द४	75 A MCCB LG Korean	गोटा	६९००१००	६९००१००	६९००१००	
क)	MCCB 50 A, 3 Phase (Indian/ Korean)	गोटा	९०८००१००	९०८००१००	९०८००१००	
ख)	MCCB 80 A, 3 Phase (Indian/ Korean)	गोटा	९०९००१००	९०९००१००	९०९००१००	
ग)	MCCB 160 A, 3 Phase (Indian/ Korean)	गोटा	२००००१००	२००००१००	२००००१००	
घ)	MCCB 300 A, 3 Phase (Indian/ Korean)	गोटा	३५०००१००	३५०००१००	३५०००१००	
द५	11 KVA, Load Disconnecting switch (knife Switch)	सेट	२५४००१००	२५४००१००	२५४००१००	
	Copper wire	कै.जी.	९६२०१००	९६२०१००	९६२०१००	
	Aluminium Binding wire	कै.जी.	९३५०१००	९३५०१००	९३५०१००	
	ABC cable (50 sq mm) 4 core unarmod aluminum	मि.	८००१००	८००१००	८००१००	
	ABC cable (25 sq mm) 4 core unarmod aluminum	मि.	५००१००	५००१००	५००१००	
	Armoured cable, 95 sq mm, Lt copper	मि.	४८००१००	४८००१००	४८००१००	
	Steel Tubular Pole Bottom Switch	कै.जी.	९५०१००	९५०१००	९५०१००	
	XLPE 11 KV 95 sq mm Cable Galvanish	मि.	४०००१००	४०००१००	४०००१००	
	XLPE 11 KV 70sq mm Cable	मि.	२५००१००	२५००१००	२५००१००	
	XLPE 11 KV 35 sq mm Cable	मि.	९९००१००	९९००१००	९९००१००	
द६	Pump लगाई Dewatering गर्ने	घण्टा	८९०१००	८९०१००	८९०१००	
द७	रेसमी तार (१४/६०)	क्वायल	४६०१००	४६०१००	४६०१००	
द८						
द९	कपर तार	क्वायल				
	क) ३/२० साइजको		२९००१००	२९००१००	२९००१००	
	ख) ३/२२ साइजको		९४९०५०	९४९०५०	९४९०५०	
	ग) ७/२० साइजको		५२५०१००	५२५०१००	५२५०१००	
	घ) ७/२२ साइजको		३०६०१००	३०६०१००	३०६०१००	
ङ) ९/१८ साइजको	९९८६५०	९९८६५०	९९८६५०			
द१०	कन्स्टिक लाइन तार □ ४ वर्ग मी.मी.	मि.	२५१००	२५१००	२५१००	
	□ ६ वर्ग मी.मी.		३०१००	३०१००	३०१००	
	□ १० वर्ग मी.मी.		४५१००	४५१००	४५१००	
	□ १६ वर्ग मी.मी.		७५१००	७५१००	७५१००	
	□ २५ वर्ग मी.मी.		९००१००	९००१००	९००१००	
द११	एल.टि. □ एच.टि. लाईन कन्डक्टर		०१००	०१००	०१००	
क)	०.०३ sq inch ACSR Conductor (Weasel)	मिटर	३५१००	३५१००	३५१००	420V - 3Phase
ख)	0.05 sq inch ACSR Conductor (Rabit)		५८१००	५८१००	५८१००	11KVA
ग)	0.1 sq inch ACSR Conductor (Dog)		९०४१००	९०४१००	९०४१००	33KVA
द१२	One Way फल्ल ग्याङ् स्वीच		३२१००	३२१००	३२१००	
द१३	Two Way फल्ल ग्याङ् स्वीच		४४१००	४४१००	४४१००	
द१४	बेल पुस (Bell Push)		४८१००	४८१००	४८१००	
द१५	इन्डिकेटर लेम्प		३२१००	३२१००	३२१००	
द१६	तृतीय एल सकेट	गोटा	३४१००	३४१००	३४१००	
द१७	Three Pin सकेट		३४१००	३४१००	३४१००	
द१८	युनिभर्सल सकेट		४६१००	४६१००	४६१००	
द१९	कन्भर्सन सकेट १० Amp फिट क्याट फ्युज समेत		७५१००	७५१००	७५१००	
१००	टेलिफोन सकेट		९०४१००	९०४१००	९०४१००	

Handwritten signatures and dates at the bottom of the page.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७६/७९ को दर रेट ने.रु.	कैफियत
१०१	Switch Gears ISI Mark		०१००	०१००	०१००	
	का) ६० AMP मेन स्वीच	गोटा	१५००१००	१५००१००	१५००१००	
	ख) १६ Amp ४१५ Volt D.P. स्वीच	सेट	१६५०१००	१६५०१००	१६५०१००	
	ग) ३२ Amp ४१५ Volt मेन स्वीच		२९००१००	२९००१००	२९००१००	
	घ) ६३ Amp ४१५ Volt मेन स्वीच		३७५०१००	३७५०१००	३७५०१००	
	ङ) १०० Amp ४१५ Volt मेन स्वीच		४४५०१००	४४५०१००	४४५०१००	
	च) १६ Amp ४१५ Volt T.P. स्वीच		१०४०१००	१०४०१००	१०४०१००	
छ) ३२ Amp ४१५ Volt T.P. स्वीच	१५००१००	१५००१००	१५००१००			
१०२	एम.सि.बी. (MCB)		०१००	०१००	०१००	
	का) D.B. १० Way	गोटा	११५०१००	११५०१००	११५०१००	
	ख) D.B. ४ Way	सेट	५७५१००	५७५१००	५७५१००	
	ग) D.B. ६ Way		९२५१००	९२५१००	९२५१००	
	घ) D.B. ८ Way		१०४०१००	१०४०१००	१०४०१००	
ङ) D.B. १२ Way	१५२०१००	१५२०१००	१५२०१००			
१०३	Main Switch box 60 Amp.		४१००१००	४१००१००	४१००१००	
१०४	म्युजिकल कल बेल (ISI)		४५०१००	४५०१००	४५०१००	
१०५	६"ट" डोम (DOM) लाइट साधारण	गोटा	१८५१००	१८५१००	१८५१००	
१०६	ब्र्याकेट		३२०१००	३२०१००	३२०१००	
१०७	६" राउण्ड बलक		५७५१००	५७५१००	५७५१००	
१०८	C.P.L कन्वीनेसन स्वीच सकेट ५/१५ AMP.		२५०१००	२५०१००	२५०१००	
१०९	४" र २" लामो ट्युब लाइट सेट		५३०१००	५३०१००	५३०१००	
११०	१०" लामो मिरर लाइट सेट		७२०१००	७२०१००	७२०१००	
१११	सिलिङ (Ceiling)रोज		२०१००	२०१००	२०१००	
११२	बेल्जियम बाल फेन्सी लाइट		४९५१००	४९५१००	४९५१००	
११३	होल्डर बोर्ड		१७००	१७००	१७००	
११४	बल्ब (Bulb) सम्पूर्ण वाटका		२३००	२३००	२३००	
११५	Power सकेट C.P.L.		३००१००	३००१००	३००१००	
११६	जक्सन बक्स मेटल सेट (४"-१२" सम्मको)		४०१००	४०१००	४०१००	
११७	८"X१०" सनमाइका		५५१००	५५१००	५५१००	
११८	One gang one way Switch		८०१००	८०१००	८०१००	
११९	Two gang Two way Switch		१००१००	१००१००	१००१००	
१२०	One gang बेल पुस	गोटा	८०१००	८०१००	८०१००	
१२१	Two gang बेल पुस		१३५१००	१३५१००	१३५१००	
१२२	Three gang बेल पुस		१८०१००	१८०१००	१८०१००	
१२३	Four gang बेल पुस		२०५१००	२०५१००	२०५१००	
१२४	रिपेयर सकेट □ ७५ मी.मी.		१४५१००	१४५१००	१४५१००	
	□ ११० मी.मी.		२१०१००	२१०१००	२१०१००	
१२५	इलेक्ट्रिकल फिटिङ चार्ज	घाइन्ट	७५१००	७५१००	७५१००	
१२६	बिजुली वाइरिङ सम्बन्धि		०१००	०१००	०१००	
	का) २x३/२०, ३/२२, १/१८ कपर तार तथा पि.भि.सी. वा एच.डि.पी. पाइप राखी सामान समेत कन्सीलड वाइरिङ गर्ने		३८०१००	३८०१००	३८०१००	
	ख) २x७/२०, ७/२२ कपर तार पि.भि.सी. वा एच.डि.पी. पाइप राखी सामान समेत कन्सीलड वाइरिङ गर्ने	घाइन्ट	४२०१००	४२०१००	४२०१००	
	ग) विभिन्न किसिमको कपर तार प्रयोग गरी पि.भि.सी. लिफ्टी राखी सामान समेत सर्भिस वायरिङ गर्ने		३२०१००	३२०१००	३२०१००	

Handwritten signatures and marks at the bottom of the page.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
१२७	पंखा सम्बन्धी	गोटा		०१००	०१००	
	क) पंखा सिलिङ्ग साधारण		१८००१००	१८००१००	१८००१००	
	ख) पंखा सिलिङ्ग राम्रो ३६"/४२"		३२००१००	३२००१००	३२००१००	
१२८	२x७/२०, ७/२२ ३/२२ को मेन लाइन पि.भी.सी., च्यानल लिफ्टी समेत इनछा देखि जक्सन बक्ससम्म)	मि.	११०१००	११०१००	११०१००	
१२९	भूईं तथा भित्ता सम्बन्धी					
१२९क	काठ(wooden floor) को फ्लोर perqueting					
	8mm thick(८mm मोटई)	व.फि.	१५०१००	१५०१००	१५०१००	VAT बाहेक
	12mm thick(१२mm मोटई)		२५०१००	२५०१००	२५०१००	
	वाल पपेर (wall paper)	गोटा	३०००१००	३०००१००	३०००१००	
१३०	टायल □ वाल टायल साधारण (नन लुस्टर)	व.फि.	६०१००	६०१००	६०१००	
	□ वाल टायल राम्रो (लुस्टर)		८२१००	८२१००	८२१००	
	□ फ्लोर टायल साधारण (नन लुस्टर)		९०१००	९०१००	९०१००	
	□ फ्लोर टायल राम्रो (लुस्टर)		१००१००	१००१००	१००१००	
१३१	मार्बल - साधारण १२ एम.एम. बाक्लो	व.फि.	१७५१००	१७५१००	१७५१००	
	- ग्रेनाइट १५ एम.एम. बाक्लो		३५५१००	३५५१००	३५५१००	
१३२	सेतो मार्बल चिप्स	के.जी.	१६१५०	१६१५०	१६१५०	
१३३	रंगीन मार्बल चिप्स	के.जी.	१७५५०	१७५५०	१७५५०	
१३४	अक्जालिक एसिड	के.जी.	२८०१००	२८०१००	२८०१००	
१३५	मैन पालिस	के.जी.	४५०१००	४५०१००	४५०१००	
१३६	कार्वोरिण्डम ढुंगा	गोटा	२५०१००	२५०१००	२५०१००	
१३७	P.V.C. टायल (फिटिङ सहित)	व.फि.	८०१००	८०१००	८०१००	
१३८	Water Proof कम्पाउण्ड □ पाउडर	के.जी.	८५१००	८५१००	८५१००	
	□ भोल	लिटर	२६०१००	२६०१००	२६०१००	
१३९	तारजाली सम्बन्धी					
१४०	जि.आई. तार (नेपाल गुणस्तर चिन्ह प्राप्त)	प्रति के.जी.				VAT बाहेक
	क) हेभी कोटिङ - ८ मेज		११०१२९	११०१२९	११०१२९	
	- १० मेज		११०१२९	११०१२९	११०१२९	
	- १२ मेज		११११२८	११११२८	११११२८	
	ख) मेडियम कोटिङ - ८ मेज		१०७१००	१०७१००	१०७१००	
	- १० मेज		१०७१००	१०७१००	१०७१००	
	- १२ मेज		१०८१०७	१०८१०७	१०८१०७	
	ग) कमर्सियल लाइट कोट - ८ मेज		१०९१६५	१०९१६५	१०९१६५	
	- १० मेज		१०९१६५	१०९१६५	१०९१६५	
	- १२ मेज		१०२१७२	१०२१७२	१०२१७२	

Handwritten signatures and initials at the bottom of the page, including a large signature in a circle and several other scribbles.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
	वाटर सप्लाई/स्यानीटरी			०।००	०।००	
१४१	ब्रास सोप केस (साबून दानी)	गोटा	३७५।००	३७५।००	३७५।००	
१४२	सि.पी. विवकक धारा १/२" (४०० ग्राम)		७८०।००	७८०।००	७८०।००	
१४३	सि.पी. स्टपकक धारा १/२"		७८०।००	७८०।००	७८०।००	
१४४	कन्सीलड स्टपकक १/२"		९२०।००	९२०।००	९२०।००	
१४५	ट्वाइलेट पैपर होल्डर		४७०।००	४७०।००	४७०।००	
१४६	टावेल रड - १/२"X१८" को	गोटा	६५०।००	६५०।००	६५०।००	
	□ १/२"X२४" को		६८०।००	६८०।००	६८०।००	
१४७	११०X११० मी.मी. प्लेन ट्रयाप		६९०।००	६९०।००	६९०।००	
१४८	११०X११० मी.मी. प्लेन प्लेन/सल्टी फ्लोर		४६०।००	४६०।००	४६०।००	
१४९	कापि.भि.सी. ओभरहेड पानी टंकी -N.S.चिन्ह प्राण Heavy	प्रति लिटर	१२।००	१२।००	१२।००	
	कापि.भि.सी. ओभरहेड पानी टंकी -N.S.चिन्ह प्राण Medium		११।००	११।००	११।००	
	ग)Galvanized Steel Tank Heavy		२२।००	२२।००	२२।००	
१५०	सि.पी. फ्लरिड पाइप १ १/४" X२४"	गोटा	६००।००	६००।००	६००।००	
१५१	पि.भी.सी. पाइप कनेक्टर १/२"X१८"		२४०।००	२४०।००	२४०।००	
१५२	कमोड कभर सेट	सेट	१६५०।००	१६५०।००	१६५०।००	
१५३	वास वेसिन बोलल ट्रेप १ १/४"	गोटा	९४०।००	९४०।००	९४०।००	
	सेवोरेटरी सिङ्ग - १८"X१२"X६"		१७६०।००	१७६०।००	१७६०।००	
१५४	- २१"X१७"X७"	गोटा	२५३०।००	२५३०।००	२५३०।००	
	किचन सिङ्ग स्टिल - २४"X१८"X६"		३०००।००	३०००।००	३०००।००	
१५५	- ३७"X१८"X९"	गोटा	३२५०।००	३२५०।००	३२५०।००	
	वेस्ट कप्ली □ १ १/४"		२४०।००	२४०।००	२४०।००	
१५६	रेगुलर कमोड - "P" Trap सेतो common brand	गोटा	२७००।००	२७००।००	२७००।००	
	- "S" Trap सेतो common brand		२७००।००	२७००।००	२७००।००	
१५७	सिफोनिक कमोड "P" Trap सेतो कैंसेट सेट		१४३००।००	१४३००।००	१४३००।००	
१५८	भारतीय प्यान - १८"	सेट	१६५०।००	१६५०।००	१६५०।००	
	□ २०"		१९००।००	१९००।००	१९००।००	
	□ २३"		२०००।००	२०००।००	२०००।००	
	उडिसा प्यान - २०"		२०००।००	२०००।००	२०००।००	
	- २३"		२३००।००	२३००।००	२३००।००	
१५९	Local Pan	सेट	९५०।००	९५०।००	९५०।००	
	वास वेसिन - १८"X१२"		११५५।००	११५५।००	११५५।००	
	- २०"X१६"		१३६५।००	१३६५।००	१३६५।००	
१६०	- २२"X१६"	सेट	१७८५।००	१७८५।००	१७८५।००	
	प्यानको लागि (P Trap) सिफन		४२०।००	४२०।००	४२०।००	
	सिस्टर्नको लागि लिङ		९३०।००	९३०।००	९३०।००	
१६१	सिस्टर्नको लागि सिफल		६००।००	६००।००	६००।००	
१६२	सिस्टर्नको लागि प्लङ्गर प्लेट		१७०।००	१७०।००	१७०।००	
१६३	फ्लेट ब्याक यूरिनल १८"X१४"X१०"		१०००।००	१०००।००	१०००।००	
१६४	एङ्गल ब्याक यूरिनल १७"X१४"X९"		११००।००	११००।००	११००।००	
१६५	स्क्वारिड प्लेट ब्याक यूरिनल २३"X१३"X९"		१३००।००	१३००।००	१३००।००	
१६६	१० लिटर लो लेभल (Low Level) सिस्टर्न		३८००।००	३८००।००	३८००।००	
१६७	रेगुलर पेडेप्टन		२२००।००	२२००।००	२२००।००	
१६८	पि.भी.सी. जाली - ३" गोलाकार	गोटा	३५।००	३५।००	३५।००	
	□ ४" गोलाकार		६०।००	६०।००	६०।००	
	□ ४" आयताकार		६५।००	६५।००	६५।००	
			१२०।००	१२०।००	१२०।००	
१६९	फ्लोसिङ सिस्टर्न प्ल्याष्टिक १० लि.सम्मका फ्लोसिङ पाइप लगायत पूरा सेट - साधारण	गोटा	२८००।००	२८००।००	२८००।००	
	□ रमीन		३३००।००	३३००।००	३३००।००	

Handwritten signatures and marks at the bottom of the page, including a large signature in the center and several smaller ones to the right.



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
	छाना छाउने सम्बन्धी			०।००	०।००	
१७२	जस्ता पाता -२४ मेजको मेडियम कोटेड ०.५mm	वण्डल	१०३००।००	१०३००।००	१०३००।००	
	- २६ मेजको हेमि कोटेड ०.४९mm		९४५०।००	९४५०।००	९४५०।००	
	- २६ मेजको लाइट ०.३८mm		७८७५।००	७८७५।००	७८७५।००	
	- २६ मेजको एक्सट्रा लाइट		६३००।००	६३००।००	६३००।००	
	- २८ मेजको हेमि कोटेड ०.३९mm		६७००।००	६७००।००	६७००।००	
	- २८ मेजको मेडियम ०.२८mm		६१००।००	६१००।००	६१००।००	
	- २८ मेजको लाइट ०.२६mm		५८००।००	५८००।००	५८००।००	
	- २६ मेजको हेमि कोटेड रंगिल ०.४९mm		१०७००।००	१०७००।००	१०७००।००	
- २८ मेजको हेमि कोटेड रंगिल ०.३९mm	८५००।००	८५००।००	८५००।००			
१७३	२८ मेज प्लेन सिट पाता साधा	व.मी.	२७०।००	२७०।००	२७०।००	
१७४	२५ मेज प्लेन सिट पाता रंगिल	व.मी.	२७०।००	२७०।००	२७०।००	
१७५	छाउने ढुंगा स्लेट	व.मी.	४९०।००	४९०।००	४९०।००	
१७६	खर (१६ मुठा)	भारी	२२०।००	२२०।००	२२०।००	
१७७	बिदमित वासर	गोटा	१।००	१।००	१।००	
१७८	जे हुक/एल हुक ट.मी.मी.	गोटा	१।७०	१।७०	१।७०	
	भोलूङ्गे पूल सम्बन्धी			०।००	०।००	
१७९	ब्रिज पार्टस फेब्रिकेसन तथा स्टक्चरल स्टिल			०।००	०।००	
१८०	रेन्सफोर्ड पार्टस			०।००	०।००	
१८१	ग्याल्भनाइजिड			०।००	०।००	
१८२	Thimbles	पिस		०।००	०।००	
	i) Φ 13 mm thimble		५५।००	५५।००	५५।००	
	ii) Φ 26 mm thimble		२४०।००	२४०।००	२४०।००	
	iii) Φ 32 mm thimble		३३०।००	३३०।००	३३०।००	
	vi) Φ 36 mm thimble		८००।००	८००।००	८००।००	
	v) Φ 40 mm thimble		११५०।००	११५०।००	११५०।००	
१८३	Bolts, Nuts & Washers (Galvanised 4.6 grade)	के.जी.	२५।००	२५।००	२५।००	
१८४	Sign Board with Fittings (Size - 30cm X 60cm)	पिस	६६००।००	६६००।००	६६००।००	
१८५	Galvanization		०।००	०।००	०।००	
	Zinc Above 98.5% purity	के.जी.	२५।००	२५।००	२५।००	
	Premix of Zinc amonium chloride	के.जी.	६०।००	६०।००	६०।००	
	Hydraucloric acid	लिट्र	४०।००	४०।००	४०।००	
भोलूङ्गे पूल सम्बन्धी थप निर्माण सामाग्रीको हकमा डोलिडार को Website मा राखिएको दररेट लाई आधार मान्य						
	विविध					
१८६	डोजर लगाई माटो काट्ने - तरम माटो	घ.मी.	८०।००	८०।००	८०।००	
	□ कडा माटो (Boulder Mixed soil)		९०।००	९०।००	९०।००	
	□ पानी जमेको स्थानमा		१००।००	१००।००	१००।००	
	□ तरम चूटान		२५।००	२५।००	२५।००	
	□ मध्यम चूटान	घ.मी.	६०।००	६०।००	६०।००	
	□ कडा चूटान		११००।००	११००।००	११००।००	
	डोजर लगाई पहिरो सफा गर्ने काम		८०।००	८०।००	८०।००	
१८७	धनुबास ढुंगेबास छिपिएको ठुलो	गोटा	२७०।००	२७०।००	२७०।००	
१८८	धनुबास ढुंगेबास छिपिएको सानो		२२०।००	२२०।००	२२०।००	
१८९	नियालोको भकारी		२७०।००	२७०।००	२७०।००	
१९०	बासको मान्द्रो		२४०।००	२४०।००	२४०।००	
१९१	डोको	गोटा	१३०।००	१३०।००	१३०।००	
१९२	नाम्लो	गोटा	६५।००	६५।००	६५।००	
१९३	थुन्से	गोटा	३०।००	३०।००	३०।००	

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
१४४	स्टाप कटिड, न्याकेड रुट (टिक, सिसौ, बकाइनो, इपिल, जेटकोफा, जामुना, चिरानी आदी)	प्रति वोट	१०१००	१०१००	१०१००	
१४५	छुवाली/पराल (धान, गहुँ)	प्रति मुठा	२२१००	२२१००	२२१००	
१४६	सिरिस, बकाईनो, कपोक, मसला, ववूल, कागियो, क्यासिया, कल्ली, इपिल, टाँकी, निमारो, बडहर, कोईरालो, कदम, जेटकोफा, निम, खयर, अमला र अन्य 2"x 7" साईजको पोलिथिन ब्यागमा	प्रति वोट	१११००	१११००	१११००	
१४७	निलकाडा, सांजवन, सिउडी आदि द्वारा २५ स.मी. दूरीमा वार लगाउने काम	र.मी.	६८१००	६८१००	६८१००	
१४८	धानको भूस	के.जी.	३१००	३१००	३१००	
१४९	गोबर	के.जी.	२१५०	४१००	४१००	
२००	कखुराको सुली भूस सहित	के.जी.		६१००	६१००	
२०१	गड्यौला मल	के.जी.		३०१००	३०१००	
२०२	गोबर मल/कम्पोस्ट मल	प्रति ढोका	६५१००	६५१००	६५१००	२५ के.जी. प्रति ढोको
२०३	पोली ब्याग २०० गेज	के.जी.	३००१००	३००१००	३००१००	
२०४	सूगन्ध कोकिला, सतिसाल, कपूर, वास, ठूलो अमला, हरोँ, वरोँ, र अन्य बहुउद्देश्यीय/ बहुउपयोगी जातका विरुवाहरू	प्रति वोट	१५१००	१५१००	१५१००	
२०५	असोक, धिउकुमारी	प्रति वोट	३०१००	३०१००	३०१००	
२०६	डालेघास, बैस, दवदवे लगायतका कटिड (पोल साइज) (ल. १मी. X ५से.मी. मोटाई)	प्रति कटिड	१५१००	१५१००	१५१००	
२०७	टयाक्टरबाट विरुवा लोड/ अनलोड गर्ने काम	प्रति ट्रीप	४००१००	४००१००	४००१००	
२०८	जि.आई. पाईपद्वारा भ्याङ्गको रेलिङ्ग १.५ ईन्च टप ढाडो ब्याक पाईप, १ ईन्च स्ववायर पाईप ६ ईन्च को दूरीमा फिटिङ्ग सहित	व.फि.	२५०१००	२५०१००	२५०१००	
२०९/१००	वावेँड वायर - ११ह१२हट मी.मी.	के.जी.	१३०१००	१३०१००	१३०१००	
	□ (१४X१४X८) मी.मी.	के.जी.	१५०१००	१५०१००	१५०१००	
२१०	काँढेतारको हुक आई बोल्ट		१११००	१११००	१११००	
२११	ढोकाको स्पिड साधारण		१७०१००	१७०१००	१७०१००	
२१२	जि.आई.नट बोल्ट वासर सहित		१५१००	१५१००	१५१००	
२१३	होल्ड फास्ट ९" साधारण		१८१००	१८१००	१८१००	
२१४	कब्जा - ३"		२५१००	२५१००	२५१००	
	□ ४"		३६१००	३६१००	३६१००	
२१५	छेस्कीनी- ४"	मोटा	५४१००	५४१००	५४१००	
	□ ६"		७३१००	७३१००	७३१००	
	□ १२"		१२६१००	१२६१००	१२६१००	
२१६	४" हेण्डल		२८१००	२८१००	२८१००	
२१७	१०" लकिङ्ग सेट		१८०१००	१८०१००	१८०१००	
२१८	मार्टिस लकिङ्ग सेट साधारण		८७०१००	८७०१००	८७०१००	
२१९	टेबल घर्को लकिङ्ग सेट		९०१००	९०१००	९०१००	
२२०	पर्दाको रेलिङ्ग पाईप - ३/४"	र.फि.	३०१००	३०१००	३०१००	
	□ १"		३५१००	३५१००	३५१००	
२२१	रेलिङ्ग पाइप ब्राकेट	मोटा	८०१००	८०१००	८०१००	
२२२	ट्रस फेब्रिकेशन इरेक्सन पाईप समेत सबै किसिमको पाइप	के.जी.	१७५१००	१७५१००	१७५१००	
२२३	टारफेल् (१X२० मी.) □ बाक्लो	वण्डल	१५५०१००	१५५०१००	१५५०१००	
	- पातलो		११३०१००	११३०१००	११३०१००	
२२४	पूटीन कालो		७७००	७७००	७७००	
२२५	ग्लास पूटीन	के.जी.	८८१००	८८१००	८८१००	
२२६	जूट रेसा खस्रो		७७००	७७००	७७००	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७८/७९ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७६/७९ को दर रेट ने.रु.	कैफियत
२२७	जूट रेसा मसिनो		८५१००	८५१००	८५१००	
२२८	क) रोलिङ्ग सटर (१८ देखी २० गेज)	के.जी.	१८०१००	१८०१००	१८०१००	
	ख) रोलिङ्ग सटर जि.आई.		२१०१००	२१०१००	२१०१००	
२२९	क)चेनल गेट/कोलाप्सेवल गेट	व.फि.	१७०१००	१७०१००	१७०१००	
	ख)चेनल गेट/कोलाप्सेवल गेट		४००१००	४००१००	४००१००	
२३०	क)ग्रील ३x२० मी.मी.	के.जी.	१५५१००	१५५१००	१५५१००	
	ख)ग्रील गेट ३x२० मी.मी.		१३५१००	१३५१००	१३५१००	
२३१	रेलिङ्ग १.५x२.५ मी.मी. १/२ जि.आई पाइप	र.फि.	१६५१००	१६५१००	१६५१००	
२३२	गोलो भन्याङ् प्रति खूटकिलो		२०००१००	२०००१००	२०००१००	
२३३	सिधा भन्याङ् प्रति खूटकिलो २ फिट ६ ईन्च चौडाई दुवैतर्फ रेलिङ्ग समेत पुरा काम	स्टेप	१७००१००	१७००१००	१७००१००	
२३४	फलामे डेक्स, वेञ्च, फिलर बक्स	के.जी.	१७५१००	१७५१००	१७५१००	
२३५	एङ्गल/पाइप ट्रेस भ्याजल ढोका		१५५१००	१५५१००	१५५१००	
२३६	साइनबोर्ड लेखाई एङ्गल फ्रेममा	व.फि.	१०५१००	१०५१००	१०५१००	
२३७	फलामे एङ्गल	के.जी.	१४५१००	१४५१००	१४५१००	
२३८	सिचाई गेट साधारण किसिमको		१८०१००	१८०१००	१८०१००	
२३९	सिचाई गेट स्ट्याण्डर्ड किसिमको		२७०१००	२७०१००	२७०१००	
२४०	३ मी.मी. को सिसा	व.फि.	५०१००	५०१००	५०१००	
	४ मी.मी. को सिसा		६५१००	६५१००	६५१००	
	५ मी.मी. को सिसा		९०१००	९०१००	९०१००	
२४१	२४ गेजको जि.आई. वायर मेस	व.मी.	२००१००	२००१००	२००१००	
२४२	चिकन वायर मेस		७०१००	७०१००	७०१००	
२४३	मस्किटो पूफ जाली		१४०१००	१४०१००	१४०१००	
२४४	१० गेजको जि.आई. तारवाट ५०x५० मी.मी. वर्न मेस साइज फेन्सिङ जाली	व.मी.	४५०१००	४५०१००	४५०१००	
२४५	६०x६० मी.मी. १० गेजको वायर मेस		३४५१००	३४५१००	३४५१००	
२४६	३२ मी.मी. फ्लस बोर्ड (एकातर्फ वाटर पूफ टिक)	व.फि.	२००१००	२००१००	२००१००	
२४७	३८ मी.मी. फ्लस बोर्ड प्लाई लगाई		२३०१००	२३०१००	२३०१००	
२४८	३२ मी.मी. बोर्ड प्लाई सादा		१५०१००	१५०१००	१५०१००	
	३८ मी.मी. बोर्ड प्लाई सादा		१९०१००	१९०१००	१९०१००	
२४९	१५० मी.मी. रबर सिल र १०० मी.मी. गेट सिल	मिटर	५५०१००	५५०१००	५५०१००	
२५०	कन्स्ट्रक्सन सर्भेको काम (ग्रामीण सडकको लागि)	प्रति कि.मी.	५५००१००	५५००१००	५५००१००	
२५१	Black Pipe 'Medium'- 3/4"φ 1.8MM	मिटर	१२५१००	१२५१००	१२५१००	
	Black Pipe 'Medium'- 1"φ 1.8MM		१५०१००	१५०१००	१५०१००	
	Black Pipe 'Medium'- 1 1/2"φ 1.8MM		२१५१००	२१५१००	२१५१००	
	- 2"φ		२९०१००	२९०१००	२९०१००	
	- 2 1/2"φ		४०५१००	४०५१००	४०५१००	
	- 3"φ		४९०१००	४९०१००	४९०१००	
	- 4"φ	७५०१००	७५०१००	७५०१००		
	कास्ट आइरन पाइप			०१००	०१००	
२५२	स्वायल कास्ट आइरन पाइप - D/S २"φ	गेटा	७८०१००	७८०१००	७८०१००	
	- D/S ३"φ		११३०१००	११३०१००	११३०१००	
	- D/S ४"φ		१३२०१००	१३२०१००	१३२०१००	
	- D/S ६"φ		२३५०१००	२३५०१००	२३५०१००	
२५३	रेन वाटर कास्ट आइरन पाइप - S/S २"φ	गेटा	८९०१००	८९०१००	८९०१००	
	- S/S ३"φ		१२५०१००	१२५०१००	१२५०१००	
	- S/S ४"φ		१३७०१००	१३७०१००	१३७०१००	
	- S/S ६"φ		२७००१००	२७००१००	२७००१००	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
	Geotextile सम्बन्धि			०१००	०१००	
२५४	Geotextile M x C 20 grade	प्रति ब.मी.	१२०१००	१२०१००	१२०१००	
	Geotextile M x C 30 grade		१४०१००	१४०१००	१४०१००	
२५५	थोपा सिंचाई सेट		०१००	०१००	०१००	
२५५.१	धेरै सानो साइज (१२५ व.मि. भन्दा कम)	सेट	१९४०१००	१९४०१००	१९४०१००	
२५५.२	सानो साइज (१२५ व.मि.)		२६००१००	२६००१००	२६००१००	
२५५.३	मझौला साइज (२५० व.मि.)		४३००१००	४३००१००	४३००१००	
२५५.४	ठूलो साइज (५०० व.मि.)		८२००१००	८२००१००	८२००१००	
२५५.५	मध्यम ठूलो		१६९००१००	१६९००१००	१६९००१००	
२५६	कार्बन फाइबर यू.पि.भि.सि. रुफिड सिट		०१००	०१००	०१००	
क	पोलीकार्बोनेट सिटा(६ मि.मि.थिक)	प्रति ब.फि.	१७०१००	१७०१००	१७०१००	
ख	कार्बन फाइबर यू.पि.भि.सि. छाना छाउने ३ मि. मि. बाक्लो	प्रति ब.मि.	१२००१००	१२००१००	१२००१००	
ग	कार्बन फाइबर यू.पि.भि.सि. धूरी छाउने ३ मि. मि. बाक्लो	प्रति ब.मि.	१३६०१००	१३६०१००	१३६०१००	
घ	जू हुक	गोटा	५१००	५१००	५१००	
ङ	क्लीप		९१००	९१००	९१००	
२५७	कृषी सम्बन्धी			०१००	०१००	
२५७.१	उन्नतकिट	गोटा	१५०१००	१५०१००	१५०१००	
२५७.२	धानको बिउ	कै.जी.	७०१००	७०१००	७०१००	
२५७.३	मकैको बिउ		८०१००	८०१००	८०१००	
२५७.४	गहुको बिउ		७५१००	७५१००	७५१००	
२५७.५	मौरीको घर	गोटा	३०००१००	३०००१००	३०००१००	
२५७.६	मौरीको गोला घर समेत		७५००१००	७५००१००	७५००१००	
२५७.७	आल्मोनियम महदानी		८०००१००	८०००१००	८०००१००	
२५७.८	स्टिल महदानी		१५०००१००	१५०००१००	१५०००१००	
२५७.९	टोपी		६००१००	६००१००	६००१००	
२५७.१०	पञ्जा		३००१००	३००१००	३००१००	
२५७.११	आधारचाका		१०००१००	१०००१००	१०००१००	
२५७.१२	आधारचाका निर्माण डाइ		५०००१००	५०००१००	५०००१००	
२५७.१३	फूट स्प्रेयर		१३५००१००	१३५००१००	१३५००१००	
२५७.१४	स्प्रेयर (पलास्टीक)		२९००१००	२९००१००	२९००१००	
२५७.१५	च्याउ बिउ (कन्ये)	बोतल	६५१००	६५१००	६५१००	
२५७.१६	च्याउ बिउ (सिताके)	बोतल	१२५१००	१२५१००	१२५१००	
२५७.१७	१२० GSM Silpolin Sheet	Sq.m.	७९१००	७९१००	७९१००	
२५८	भु संरक्षण सम्बन्धी			०१००	०१००	
२५८.१	Grass Seeds			०१००	०१००	
१	जई	Kg	८०१००	८०१००	८०१००	
२	भेच	Kg	१६०१००	१६०१००	१६०१००	
३	वर्सिम	Kg	१८०१००	१८०१००	१८०१००	

Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट

सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.र.	आ.व. ०७७/७८ को दर रेट ने.र.	आ.व. ०७८/७९ को दर रेट ने.र.	कैफियत
२५८.२	Vegetation/Shrubs Cuttings/Slip/Plants/etc.			०१००	०१००	
१	रुद्राक्ष,रक्तचन्दन,श्रीखण्ड	गोटा	१००१००	११०१००	११०१००	
२	बोधीचित्त बह्वर्षीय	गोटा	५००१००	५००१००	५००१००	
३	अमिसो राईजोम	गोटा	६१००	६१००	६१००	
४	अलैची गानो	गोटा	१११००	१११००	१११००	
५	अलैची विरुवा	गोटा	९१००	९१००	९१००	
६	आँप आम्रपाली/मल्लीका २-३ वर्षे कलमी विरुवा	गोटा	२००१००	२००१००	२००१००	
७	आँप अन्य जात २-३ वर्षे कलमी विरुवा	गोटा	१५५१००	१६०१००	१६०१००	
८	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	गोटा	६१००	६१००	६१००	
९	Teosinte	Kg	१३०१००	१३०१००	१३०१००	
१०	Joint Vetch	Kg	१००१००	१००१००	१००१००	
११	Supper Nepier	set	३०१००	३०१००	३०१००	
१२	stylo	Kg	१२००१००	१२००१००	१२००१००	
१३	oat	Kg	७०१००	७०१००	७०१००	
१४	राई खनियो	प्र बिरुवा	२७१००	२७१००	२७१००	
१५	बदहर,लप्सी,लाकुरी,दुर्मी	प्र बिरुवा	१८१००	२०१००	२०१००	
१६	ईपिल	प्र बिरुवा	१०१००	१०१००	१०१००	
१७	वषिम	Kg	४००१००	४००१००	४००१००	
१८	टाकी	प्र बिरुवा	१५१००	१५१००	१५१००	
१९	काइरालो, बैस,दवादबे,खिरो,काओ,सजीवन,सिमली,किम्बु आदि	प्र बिरुवा	१५१००	१५१००	१५१००	
२०	vetch	Kg	१३०१००	१३०१००	१३०१००	
	अमिसा	प्र. सेट	५१००	५१००	५१००	
२१	नेपियर co4	गोटा	३१००	३५००	३५००	
२५८.३	NB₂₁ घास					
१	निगालो राईजोम	गोटा	४०१००	४०१००	४०१००	
२	बासको बेर्ना (कटीग राईजोम)	गोटा	३३०१००	३३०१००	३३०१००	
३	बाबियो ताइवानी दुबो	गोटा	३१००	३१००	३१००	
४	सिजनल फुल ८ इन्च पोली	गोटा	२८१००	२८१००	२८१००	
५	गुलाफ फुल ८ इन्च पोली	गोटा	१६५१००	१६५१००	१६५१००	
६	हेज ८ इन्च पोली	गोटा	३५१००	३५१००	३५१००	
२५८.४	कापेट दुबो					
१	कापेट दुबो को लागी छाप्ने कार्यको ज्याला	व.फनी.	२५१००	२५१००	२५१००	
२	निगालो (जरा सहीत)	गोटा	१२१००	१२१००	१२१००	
३	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	गोटा	१०१००	१०१००	१०१००	
२५८.५	गोठे मल तयारी					
		के.जी.	३१००	३१००	३१००	
२५८.६	डाले घासको बिरुवा					
		गोटा	८१००	८१००	८१००	
	मोलाटो बिरुवा	गोटा	२१००	२१००	२१००	
२५८.७	नरीवल डोरी					
		के.जी.	१००१००	१००१००	१००१००	
२५८.८	नाइलन डोरी					
		के.जी.	२००१००	२००१००	२००१००	
२५८.९	अगरउड					
		गोटा		१४०१००	१४०१००	

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
२५८.१ ०	बास	गोटा		२३०१००	२३०१००	
२५८.१ १	बर, पिपल, समी	गोटा		४००१००	४००१००	
२५८.१ २	एभोकाडो	गोटा		१८०१००	१८०१००	
२५८.१ ३	लिची सीदलेस	गोटा		८५१००	८५१००	
२५८.१ ४	सुनकागती	गोटा		५०१००	५०१००	
२५८.१ ५	टिमुर	गोटा		८५१००	८५१००	
२५८.१ ६	अमला, रिठा, हर्रो, बर्रो	गोटा		७०१००	७०१००	
२५८.१ ७	लप्सी	गोटा		१००१००	१००१००	
२५८.१ ८	मरेको वन्यजन्तुको उद्दार गरी गाड्ने काम					
२५८.१ ९	चितुवा	वटा		२५००१००	२५००१००	
२५८.२ ०	मृग प्रजाति को	वटा		१५००१००	१५००१००	
२५८.२ १	जिल्ला भित्र पाईने वन्यजन्तु को	वटा		१०००१००	१०००१००	
२५८.२ २	घार टुनिको	प्रति घार		५०००१००	५०००१००	
२५८.२ ३	अन्य काठको घार	प्रति घार		३५००१००	३५००१००	
२५८.२ ४	मौरी प्रति फ्रमे	प्रति फ्रमे		१२००१००	१२००१००	
२५८.२ ५	गड्यौला मल प्रायोजन को लागी	के जी		२२५०१००	२२५०१००	
२५८.२ ६	फलफुल लगाउने खाडल	घा मि		१५०१००	१५०१००	
२५९ क	वन सम्बन्धी			०१००	०१००	
	काठ संकलन *			०१००	०१००	
	१ रुखको नम्बरिङ तथा छपान	प्रति रुख	१४१००	१४१००	१४१००	वन कार्यलय बाट प
	२ काठ कटान, मुछान		२४१००	२४१००	२४१००	
	३ रिङ्ग काट्ने काम	प्रति क्यू.फि.	५१००	५१००	५१००	
	४ बोक्रा फिक्ने काम		६१००	६१००	६१००	
	५ गोलिया काठ याडिङ्ग ज्यामीबाट			०१००	०१००	
	०-५०० मी. सम्म		२४१००	२४१००	२४१००	
	५००-१००० मी. सम्म		२६१००	२६१००	२६१००	
	१००० मी. भन्दा टाढा		३२१००	३२१००	३२१००	
	६ गोलिया काठ लोडिङ्ग	प्रति क्यू.फि.	१३१००	१३१००	१३१००	
	७ गोलिया काठ अनलोडिङ्ग		६१००	६१००	६१००	
	८ गोलिया काठ पाइलिङ्ग		८१००	८१००	८१००	
	९ गोलिया काठ ढुवानी गाडीबाट		०१००	०१००	०१००	
	० देखि ५ कि.मी. सम्म	प्रति क्यू.फि.	४८१००	४८१००	४८१००	

[Signature]

[Signature]

[Signature]
१६

[Signature]

[Signature]

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
	५ देखि १० कि.मी. सम्म	प्रति क्यू.फि.	५०१००	५०१००	५०१००	नु
	१० देखि १५ कि.मी. सम्म		५८१००	५८१००	५८१००	
	१५ देखि २० कि.मी. सम्म		६२१००	६२१००	६२१००	
	२० देखि २५ कि.मी. सम्म		६४१००	६४१००	६४१००	
	२५ कि.मी भन्दा टाढा		७०१००	७०१००	७०१००	
ख	दाउरा संकलन *			०१००	०१००	
१	दाउरा कटान, मुछान (20'X20'x5')	प्रति चट्टा	३०००१००	३०००१००	३०००१००	
२	दाउरा यार्डिङ्ग ज्यामीबाट			०१००	०१००	
	०-५०० मी. सम्म	प्रति चट्टा	४२००१००	४२००१००	४२००१००	५ ज्यामी बराबर
	५००-१००० मी. सम्म		४९००१००	४९००१००	४९००१००	
	१००० मी. भन्दा टाढा		५६००१००	५६००१००	५६००१००	
३	दाउरा चट्टा लगाउने (20'X20'x5')	प्रति चट्टा	४२००१००	४२००१००	४२००१००	
४	दाउरा लोडिङ्ग		१६००१००	१६००१००	१६००१००	
५	दाउरा अनलोडिङ्ग		५५०१००	५५०१००	५५०१००	
६	दाउरा ढुवानी गाडीबाट			०१००	०१००	
	० देखि ५ कि.मी. सम्म	प्रति चट्टा	२८००१००	२८००१००	२८००१००	बन कार्यालय बाट प्राप्त
	५ देखि १० कि.मी. सम्म		३०००१००	३०००१००	३०००१००	
	१० देखि १५ कि.मी. सम्म		३५००१००	३५००१००	३५००१००	
	१५ देखि २० कि.मी. सम्म		३७००१००	३७००१००	३७००१००	
	२० देखि २५ कि.मि		३९००१००	३९००१००	३९००१००	
	२५ कि.मि भन्दा माथि		४२००१००	४२००१००	४२००१००	
ग	चिरान काठ *			०१००	०१००	
	चिरान काठ, उत्पादन		६७१००	६७१००	६७१००	
	चिरान अनसार्डज काठ उत्पादन		८५१००	८५१००	८५१००	
	चिरान लोडिङ्ग		८१००	८१००	८१००	
	चिरान अनलोडिङ्ग	प्रति क्यू.फि.	४.२१००	४.२१००	४.२१००	
	बाकल लोडिङ्ग		८.५१००	८.५१००	८.५१००	
	बाकल अनलोडिङ्ग		४.५१००	४.५१००	४.५१००	
	चिरान काठ पाइलिङ्ग		४.२१००	४.२१००	४.२१००	
	१०० मी. टाढाबाट मिलसम्म काठ बोक्ने काम		४.२१००	४.२१००	४.२१००	
	मिलमा गोलिया काठ सिपमेन्ट लोडिङ्ग		१३.५१००	१३.५१००	१३.५१००	
	मिलमा गोलिया काठ सिपमेन्ट अनलोडिङ्ग	६.८१००	६.८१००	६.८१००		
२६०	तयारी आर.सि.सि. भ्याल,ढोका,भेन्टीलेसन,आर्क			०१००	०१००	
२६०.१	Ready made RCC Door and window frame of section 4"X2.75" with concrete mix design of 1:1:1 proportion and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	२२०१००	२२०१००	२२०१००	
२६०.२	Ready made RCC ventilation frame of section 4"X2.75" with concrete mix design of 1:1:1 proportion and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	२२०१००	२२०१००	२२०१००	

[Handwritten signatures]

[Handwritten signatures and initials]

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
२६०.३	Ready made RCC Door and window arc frame (Semi-circular) frame of section 4"X2.75" with concrete mix design of 1:1:1 proportionation and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	४४०१००	४४०१००	४४०१००	
२६१	Machine made and mechanically selvaged double twisted hexagonal mesh products(Maccaferri & equivalent product) Wire Mesh Netting			०१००	०१००	
	6*8/2.2/2.7/ZN	sqm	२६११००	२६११००	२६११००	
	10*12/2.7/3.4/ZN	sqm	२५११००	२५११००	२५११००	
	10*12/3.0/3.9/ZN	sqm	२८५१००	२८५१००	२८५१००	
	6*8/2.2/2.7/PVC	sqm	४१८१००	४१८१००	४१८१००	
	10*12/2.7/3.4/PVC	sqm	३०८१००	३०८१००	३०८१००	
	Note:- ZN=Heavy Galvanized,PVC=PVC Coated			०१००	०१००	
	Note:- 10*12/3.0/3.9/2.4/ZN=Mesh Type/Mesh wire Dia./Selvedge			०१००	०१००	
२६२	एलुमिनियम फ्रेम			०१००	०१००	
१	Sliding window fitted with 5mm clear glass without net. Size: 4' x 5'	Sq.ft.	६१०१००	६१०१००	६१०१००	
२	Sliding window fitted with 5mm clear glass without net. Size: 5' x 4'	Sq.ft.	६४०१००	६४०१००	६४०१००	
३	Sliding window fitted with 5mm clear glass without net. Size: 9' x 5'	Sq.ft.	६३०१००	६३०१००	६३०१००	
४	Sliding window fitted with 5mm clear glass without net. Size: 7' x 5'	Sq.ft.	६००१००	६००१००	६००१००	
५	Sliding with ventilation at top and bottom w/o net. Size: 6' x 7'	Sq.ft.	५९०१००	५९०१००	५९०१००	
६	Fix window and hinged door fitted with 5mm glass.	Sq.ft.	७००१००	७००१००	७००१००	
७	Fix window fitted with 5mm glass. Size: 6' x 3'	Sq.ft.	५००१००	५००१००	५००१००	
८	Glass door fitted with 12mm glass GD	Sq.ft.	१४००१००	१४००१००	१४००१००	
९	Glazed window (Curtain Wall) with 5mm reflective glass	Sq.ft.	९५०१००	९५०१००	९५०१००	
१०	Stainless steel railing on varandah and staircase. Size: 2" x 1" x 1" x 1"	Sq.ft.	१७५०१००	१७५०१००	१७५०१००	
				०१००		
249.Rate of Supply Tools					०१००	
S.N.	Details	Unit	Rate 2076/2077	Rate 2077/2078	Rate 2078/2079	
1	Slade Hammer			०१००	०१००	
	3kg	No	६८०१००	६८०१००	६८०१००	
	5 kg	No	१०२५१००	१०२५१००	१०२५१००	
	8 kg	No	१५९५१००	१५९५१००	१५९५१००	
2	Stone cutting hammer 1.2kg	No	५७०१००	५७०१००	५७०१००	
3	Spade 0.5 kg	No	५७०१००	५७०१००	५७०१००	
4	Pickaxe	No	५७०१००	५७०१००	५७०१००	
5	Crowbar			०१००	०१००	
	i 1.2m	No	१३६५१००	१३६५१००	१३६५१००	
	ii 1.5m	No	२०५०१००	२०५०१००	२०५०१००	
6	Chisel			०१००	०१००	
	8"	No	४००१००	४००१००	४००१००	
	12"	No	६२५१००	६२५१००	६२५१००	
7	Wheel Barrow	No	९११०१००	९११०१००	९११०१००	
8	Stone cutting hummer 1.2kg	No	४००१००	४००१००	४००१००	
9	आसी हसिया ०.५ के.जी.	No	८५५१००	८५५१००	८५५१००	
10	कराई	No	४००१००	४००१००	४००१००	
11	Shovel	No	६८५१००	६८५१००	६८५१००	
12	Corney	No	५७०१००	५७०१००	५७०१००	

[Handwritten signatures]

[Handwritten signature]
१८

[Handwritten signature]

[Handwritten signature]



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
250. Protective and Safety Equipment						
S.N.	Description	Unit	Rate 2076/2077	Rate 2077/2078	Rate 2078/2079	
1	Googles	No	३३०१००	३३०१००	३३०१००	
2	Mask	No	११०१००	११०१००	११०१००	
3	Gloves	No	४४०१००	४४०१००	४४०१००	
4	Protective Gumboot(Standard)	No	११००१००	११००१००	११००१००	
5	Helmet	No	७१५१००	७१५१००	७१५१००	
6	Protective work wear(Jacket)	No	६६०१००	६६०१००	६६०१००	
7	Protective shinging and work mean jacket (standard)	No	९९०१००	९९०१००	९९०१००	
8	Cap (standard)	No	४४०१००	४४०१००	४४०१००	
9	1m. Length flag	No	८५१००	८५१००	८५१००	
10	Bag (Standard)	No	८२५१००	८२५१००	८२५१००	
11	Sfety Belt	No	२०००१००	२०००१००	२०००१००	
12	Fullbody harness	No	६०५०१००	६०५०१००	६०५०१००	
13	Half Harness	No	४४००१००	४४००१००	४४००१००	
14	Raincoat	No	१६५०१००	१६५०१००	१६५०१००	
251. Ready made Door						
S.N.	Description	Unit	Rate 2076/2077	Rate 2077/2078	Rate 2078/2079	
1	Ready made door					
a)	Ready made core door shutter one side teak other side GI plain sheet 26 guage water proof	Sq ft	२७०१००	२७०१००	२७०१००	
b)	Ready made core door shutter one side teak other side formica water proof	Sq ft	३००१००	३००१००	३००१००	
c)	Ready made core door shutter one side teak other side /water proof	Sq ft	२९५१००	२९५१००	२९५१००	
d)	Ready made board door pannel (plain)	Sq ft	३५०१००	३५०१००	३५०१००	
	Ready made door shutter (Heavy)	Sq ft	५००१००	५००१००	५००१००	
252. Paving stone						
S.N.	Description	Unit	Rate 2076/2077	Rate 2076/2077	Rate 2078/2079	
a)	1" thick good quality	Sq ft	९५१००	९५१००	९५१००	
b)	1.5" thick good quality	Sq ft	११०१००	११०१००	११०१००	
c)	2" thick good quality	Sq ft	१३०१००	१३०१००	१३०१००	
d)	Clading stone with wall surface in (1:3) c/s mortar	Sq ft	२०५१००	२०५१००	२०५१००	
e)	Roofing Stone	Sq m	५०५१००	५०५१००	५०५१००	
253. Material Testing in Civil Laboratory						
S.N.	Description	Unit	Rate 2076/2077	Rate 2076/2077	Rate 2078/2079	
SOIL & AGGREGATE						
1	Agggregate Crushing Value Test (ACV)	Per Test	४१३१०	४१३१०	४१३१०	
2	Aggregate Impact Value Test (AIV)	Per Test	३०९१०	३०९१०	३०९१०	
3	California Bearing Ratio (CBR) Soaked	Per Test	१९३५१०	१९३५१०	१९३५१०	

स्याङ्जा जिल्लाको आ.व. २०७८/७९ को जिल्ला दररेट



सि.नं.	कामको विवरण	इकाई	आ.व. ०७६/७७ को दर रेट ने.रु.	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	कैफियत
4	California Bearing Ratio (CBR)Unsoaked	Per Test	१६९७०	१६९७०	१६९७०	
5	Deflection Test by Benklemen's Beam Test	Per Test	७०४०	७०४०	७०४०	
6	Flakiness Index (F.I.)	Per Test	४५९१०	४५९१०	४५९१०	
7	Field Density Test	Per Test	६२९१०	६२९१०	६२९१०	
8	Liquid Limmit & Plasticity Index (LL& PI)	Per Test	५१९१०	५१९१०	५१९१०	
9	Los Angeles Abrasion Test (LAA)	Per Test	५९४१०	५९४१०	५९४१०	
10	Measurement of pavement Thickness	Per Test	४९६१०	४९६१०	४९६१०	
11	Organic Impurities of Fine Aggregate	Per Test	४६४१०	४६४१०	४६४१०	
12	Proctor Compaction Test (Modified)	Per Test	१७३०१०	१७३०१०	१७३०१०	
13	Rapid determination of CBR By DCP	Per Test	२९९१०	२९९१०	२९९१०	
14	Specific Gravity of Coarse aggregate	Per Test	५५२१०	५५२१०	५५२१०	
15	Specific Gravity of Fine aggregate	Per Test	३९९१०	३९९१०	३९९१०	
16	Sieve Analysis	Per Test	८२९१०	८२९१०	८२९१०	
17	Sodium Sulphate Soundness Test (5 Cycle)	Per Test	२५१८१०	२५१८१०	२५१८१०	
18	Sand Equivalent	Per Test	९६६१०	९६६१०	९६६१०	
19	Sampling From Surface, Bas, Sub- Base & Sub Grade	Per Test	५१०१०	५१०१०	५१०१०	
B	CEMENT & CONCRETE					
1	Compressive Strength Of Concrete Cube	Per Test	१३०१०	१३०१०	१३०१०	
2	Making Mortar Cubes (50mm*50mm*50mm)	Per Test	३३२१०	३३२१०	३३२१०	
3	Making Mortar Cubes (70.7mm*70.7mm*70.7mm)	Per Test	३७०१०	३७०१०	३७०१०	
4	Making Mortar Cubes (15cm*15cm*15cm)	Per Test	२७७१०	२७७१०	२७७१०	
5	Normal Consistency of Cement	Per Test	४५०१०	४५०१०	४५०१०	
6	Slump Test of Concrete mix	Per Test	१३३१०	१३३१०	१३३१०	
7	Setting Time of Cement	Per Test	६७३१०	६७३१०	६७३१०	
C	BITUMEN			०१०	०१०	
1	Determination of Bitumen Content (2 kg big bowl)	Per Test	४०७३१०	४०७३१०	४०७३१०	
2	Determination of Bitumen Content (1kg Small bowl)	Per Test	३०८०१०	३०८०१०	३०८०१०	
3	Ductility Test	Per Test	५५८१०	५५८१०	५५८१०	
4	Engler Viscosity Of Emulsion	Per Test	१०३०१०	१०३०१०	१०३०१०	
5	Flash & Fire Point	Per Test	३०११०	३०११०	३०११०	
6	Viscosity	Per Test	१४८२१०	१४८२१०	१४८२१०	
7	Los on Heating of Asphalt	Per Test	४८९१०	४८९१०	४८९१०	
8	Penetration Test	Per Test	४२६१०	४२६१०	४२६१०	
9	Penetration of Residue	Per Test	४२६१०	४२६१०	४२६१०	
10	Resistance to Plastic Flow of Bitumen (Marshall Design)	Per Test	१३३११०	१३३११०	१३३११०	
11	Specific Gravity	Per Test	६००१०	६००१०	६००१०	
12	Solubility Test	Per Test	६७११०	६७११०	६७११०	
13	Softening Test	Per Test	५२३१०	५२३१०	५२३१०	
14	Stripping Test	Per Test	६५११०	६५११०	६५११०	
15	Water Content	Per Test	४७५१०	४७५१०	४७५१०	
16	Residue on Sievning of emulsion	Per Test	७४११०	७४११०	७४११०	
17	Binder Content of Emulsion	Per Test	५६११०	५६११०	५६११०	
D	G.I. WIRE			०१०	०१०	
1	Adhension Test of GI Wire	Per Test	७१०	७१०	७१०	
2	Determination of Tensile Strength of GI Wire	Per Test	२७९१०	२७९१०	२७९१०	
3	Determination of Zinc Coating of G.I. Wire	Per Test	३६८१०	३६८१०	३६८१०	
4	Uniformity of Zinc Coating Of G.I. Wire	Per Test	२९९१०	२९९१०	२९९१०	

*Note: Unskilled manpower, sample materials & Chemicals Should Be Provided to the lab by client themselves.

Estimated price of unskilled and chemicals are provided as above

Handwritten signatures and dates at the bottom of the page, including a date '२०' and several illegible signatures.

254 RCC HUME PIPE						
Np3 class Heavy Duty				Np2 class Light Duty		
Inch	Dia in cm.	Rs. Per mtr.	Full Length (2.50m)	Dia in cm.	Rs. Per mtr.	2.5m
6	15	1359.44	3398.59	15	605.00	1512.5
8	20	1804.11	4510.28	20	786.50	1966.25
10	25	2261.49	5653.73	22.5	907.50	2268.75
12	30	3265.17	8162.94	25	968.00	2420
14	35	3735.27	9338.18	30	1306.80	3267
16	40	4167.24	10418.10	37.5	1597.20	3993
18	45	4675.81	11689.54	40	1839.20	4598
20	50	5209.05	13022.63	45	1936.00	4840
24	60	6441.44	16103.59	50	2081.20	5203
28	70	7775.46	19438.65	60	2879.80	7199.5
30	75	8800.40	22001.00	70	3751.00	9377.5
32	80	9744.74	24361.84	75	4053.50	10133.75
36	90	11688.60	29221.50	80	4525.40	11313.5
40	100	12539.84	31349.59	90	5711.20	14278
48	120	15347.64	38369.10	100	6473.50	16183.75
60	150	24139.50	60348.75	120	7768.20	19420.5
				150	18271.00	45677.5
Ex- Factory Rate						
Transportation charge						
S.N.	Distance			Remarks		
a)	10km to 50 km			From Factory		
b)	51 km to 100 km					
c)	Above 100km					



255 GI Pipes

S.No.	Size in inch	Light class (Rate Rs./Rm.)	Remarks
1	0.50	150.00	VAT is not included.
2	0.75	210.00	
3	1.00	290.00	
4	1.25	375.00	
5	1.50	465.00	
6	2.00	570.00	
7	2.50	815.00	
8	3.00	960.00	
9	4.00	1380.00	
10	5.00	2115.00	
11	6.00	2510.00	

258. PPR 3 LAYER PIPES AND FITTINGS

S. No.	Description of Goods	Unit	Size										
			1 1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"		
			20 mm	25 mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm		
1	Pipe (PN 10/S-5.0)-3 Layer	Rm	39.33	59.67	95.33	150.33	233.33	369.00	514.67	741.33	1099.33		
2	Pipe (PN 16/S-3.2)-3 Layer	Rm	52.67	82.00	131.00	210.00	327.33	514.67	734.00	1048.33	1570.33		
3	Pipe (PN 20/S-2.5)-3 Layer	Rm	62.67	97.33	158.33	245.00	380.00	602.67	854.67	1227.33	1829.67		
4	PLASTIC BALL VALVE	No.	209	286	495	1056	1529	2585					
5	BRASS BALL VALVE	No.	759	935	1272	2101							
6	STOP VALVE	No.	774	1020	1231	1320	2200	3306					
7	PIPE CLIP	No.	14	17	32	44	68	89					
8	HIGH FOOTED PIPE CLIP	No.	28	33	50	55	61	83					
9	Y" TYPE PIPE CLIP	No.	44	52	63	96	136	193					
10	SHORT PASS OVER	No.	168	242	376								
11	LONG BYPASS	No.	193	319	468								
12	CONCEALED VALVE (NOR)	No.	2079										
13	CONCEALED VALVE (LUX)	No.	2468										
14	ELBOW 90	No.	25	50	85	178	300	528	990	1672	3114		
15	ELBOW 45	No.	34	56	87	162	271	448	880	1485	2596		
16	SOCKET	No.	20	25	50	97	162	284	550	813	1485		
17	TEE	No.	34	61	106	205	348	634	1100	2014	3499		
18	CROSS TEE	No.	59	87	150								
19	END PLUG	No.	14	23	30								
20	END PLUG WITH RING	No.	50										
21	END CAP	No.	29	44	67	99	176	336	539				
22	UNION (Plastic)	No.	131	224	361	547	858	1025					
23	SHOT PLUG	No.	9	11	15								
24	LONG END PLUG	No.	22										
25	TANK NIPPLE	No.	61	97	111								

नेपाल सरकार
गृह मन्त्रालय
जिम्ला प्रशासन कार्यालय
स्मृति

(Handwritten signatures and initials)

DESCRIPTION OF GOODS	No.	20mm*1/2	20mm*3/4	25mm*1/2	25mm*3/4	32mm*1/2	32mm*3/4	32mm*1"	40mm*1-1/4	50mm*1-1/2	63*2"	75*2-1/2"
FEMALE THREADED COUPLING	No.	241	286	318	323	274	293	690	1194	1548	2171	2896
MALE THREADED COUPLING	No.	297	314	361	417	376	402	806	1361	2052	2709	6732
FEMALE UNION	No.	647	-	-	839	-	-	1355	1870	3196	5830	-
MALE UNION	No.	671	-	-	964	-	-	1417	2552	3410	8800	-
METAL BALL VALVE DOUBLE	No.	1430	-	-	2096	-	-	2585	7365	10120	-	-
METAL BALL VALVE SINGLE	No.	1320	-	-	2112	-	-	2915	-	-	-	-
FEMALE ELBOW	No.	251	-	410	336	448	528	740	-	-	-	-
MALE ELBOW	No.	306	-	336	413	693	550	913	-	-	-	-
FEMALE TEE	No.	259	-	337	391	384	451	759	-	-	-	-
MALE TEE	No.	318	-	336	402	485	504	877	-	-	-	-
REDUCTION COUPLER	No.	25-20	32-20	32-25	40-20	40-25	40-32	50-20	50-25	50-32	50-40	110-90
		35	46	52	75	79	105	142	136	154	163	2057
		63-20	63-32	63-40	63-50	75-40	75-50	75-63	90-50	90-63	90-75	110-75
REDUCTION TEE	No.	222	274	276	277	550	561	567	1045	1122	1320	1848
		25-20-25	32-20-32	32-25-32	40-20-40	40-25-40	40-32-40	50-25-50	50-32-50	50-40-50	50-20-50	-
		65	90	106	141	160	171	297	319	330	290	-
REDUCING ELBOW	No.	63-25-63	63-32-63	63-40-63	63-50-63	63-20-63	75-50-75	75-63-75	90-63-90	90-75-90	110-75-110	110-90-110
		479	495	506	523	431	1265	1271	2090	2310	3740	3850
		25-20	32-20	32-25	40-32	50-40	-	-	-	-	-	-
WELDING KIT	No.	50	90	112	116	129	-	-	-	-	-	-
		3380	4056	-	-	-	-	-	-	-	-	-

Note: VAT is included in the above rates (ex factory rate)

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

260 CPVC Pipe and fittings

स्याङ्जा जिल्लाको आ.व.२० को जिल्ला दररेट

S.N.	Description	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
		15 mm	20 mm	25 mm	32 mm	40 mm	50 mm
1	CPVC pipe SDR - 11/mtr	226	353	517	769	1073	1808
2	Elbow 90 deg.	34	62	119	235	340	750
3	Equal Tee	40	82	149	290	430	930
4	Coupler (Socket)	19	40	68	140	225	480
5	Elbow 45 deg.	23	49	76	129	330	720
6	Union	275	529	600	850	1150	2000
7	End cap	19	40	65	88	138	253
8	ABS pipe clip	10	15	17	20	37	45
9	Female Threaded Adapter CPVC	39	66	120	253	330	590
10	Male Threaded Adapter CPVC	29	42	80	164	226	418
11	Ball valve (NSF)	1035	1288	1801	3013	3811	5589
12	Ball valve Compact	529	725	1150	1950	3410	5055
13	Step Over Bend	190	280	510			
14	Elbow with EAR CPVC	88	99				
15	Female Threaded Elbow Brass	175	281	3/4"X1/2":183	1"X1/2":286		
16	Female Threaded Adapter Brass	362	463	735	1850	2300	3750
17	Male Threaded Adapter Brass	339	520	890	2000	2570	4294
18	Female Threaded Tee Brass	206	3/4"X1/2":226	1"X1/2":311			
19	Reducing female coupling brass	3/4"X1/2":226	1"X1/2":248				
20	Reducing Male Threaded Adapter Brass	3/4"X1/2":372					
21	Reducing coupler	3/4"X1/2":45	1"X1/2":62	1"X3/4":65	1-1/4"X1/2":145	1-1/4"X3/4":160	1-1/4"X1":165
		1-1/2"X1/2":185	1-1/2"X3/4":225	1-1/2"X1":235	1-1/2"X1-1/4":250	2"X3/4":328	2"X1":264
		2"X1-1/4":310	2"X1-1/2":320				
		3/4"X1/2":90	1"X1/2":136	1"X3/4":147	1-1/4"X1/2":137	1-1/4"X3/4":154	1-1/4"X1":181
		1-1/2"X1/2":500	1-1/2"X3/4":515	1-1/2"X1":525	1-1/2"X1-1/4":350	2"X3/4":478	2"X1":506
22	Reducing Tee	2"X1-1/4":555	2"X1-1/2":559				
23	Reducing Buss	3/4"X1/2":20	1"X1/2":44	1"X3/4":48	1-1/4"X1/2":103	1-1/4"X3/4":83	1-1/4"X1":77
		1-1/2"X1/2":132	1-1/2"X3/4":96	1-1/2"X1":96	1-1/2"X1-1/4":88	2"X1/2":264	2"X3/4":187
24	Tee Holder	2"X1":182	2"X1-1/4":181				
25	Reducing Elbow	1/2"X1/2":16	3/4"X1/2":21				
26	Reducing Male Threaded Adapter CPVC	3/4"X1/2":65					
		3/4"X1/2":46					
27	CPVC solvent cement NSF HP	29ml.:268	50ml.:537	118ml.:798	236ml.:1316	473ml.:2273	



[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

२४



261 .Rate of Water Supply Tools

S. No	Particulars	Unit	Rate (NRs)	S. No	Particulars	Unit	Rate (NRs)
1	Heating Plate 3"	No	950	40	Hexaw Frame	No	265
2	Heating Plate 4"	No	1340	41	Hexaw Blade	No	25
3	Heating Plate 5"	No	1935	42	Oil Can	No	595
4	Heating Plate 6"	No	2350	43	Rubber Gasket	Meter	3505
5	Heating Plate 8"	No	3650	44	Taflon Tape	No	30
6	Heating Plate 10"	No	6783	45	Blow Lamp	No	1695
7	Heating Plate 12"	No	7272	46	Slade Hammer 10 lbs	No	1400
8	Pipe Wrench 10"	No	962	47	Stone chisel 1*6	No	390
9	Pipe Wrench 12"	No	990	48	Stone chisel 1*12	No	495
10	Pipe Wrench 14"	No	1452	49	Spirit level 18"	No	424
11	Pipe Wrench 18"	No	1973	50	Mason Sqire 12 "	No	395
12	Pipe Wrench 24"	No	2982	51	Mason Sqire 18 "	No	490
13	Pipe Wrench 36"	No	5600	52	Steel Brush	No	40
14	Pipe Wrench 48"	No	6200	53	Steel Pan	No	390
15	Chain Wrench 3 No	No	2819	54	Measuring Tape 3 M	No	85
16	Chain Wrench 4 No	No	3377	55	Measuring Tape 5 M	No	150
17	Chain Wrench 6 No	No	3892	56	Measuring Tape 30 M	No	1500
18	Retch Threader 1/2 To 1"	Set	7972	57	Measuring Tape 50 M	No	2250
19	Retch Threader 1-1/4 To 2"	Set	9877	58	Measuring Tape 100 M	No	2950
20	Retch Threader 2-1/2 To 3"	Set	12920	59	Stone cutting Hammer	No	375
21	Retch Threader 4 "	Set	12994	60	Half Round File 10"	No	640
22	Adjustable wrench 10 "	No	650	61	Smooth File 12 "	No	730
23	Adjustable wrench 12 "	No	785	62	Nail hammer	No	415
24	Adjustable wrench 15 "	No	1450	63	Dye teeth 1/2	Set	1334
25	Adjustable wrench 18 "	No	2250	64	Dye teeth 3/4	Set	1551
26	Pipe voice 2 No	No	2750	65	Dye teeth 1"	Set	1743
27	Pipe voice 3 No	No	3550	66	Dye teeth 1-1/4 "	Set	1930
28	Pipe voice 4 No	No	5050	67	Dye teeth 1-1/2"	Set	2127
29	Pipe cutter 1 No	No	1580	68	Dye teeth 2 "	Set	2257
30	Pipe cutter 2 No	No	2504	69	Dye teeth 2-1/2 "	Set	2722
31	Pipe cutter 3 No	No	3726	70	Dye teeth 3 "	Set	3210
32	Pipe cutter 4 No	No	5260	71	Dye teeth 4"	Set	3847
33	Tool Box with Key	No	1910	72	Shovel	Set	300
34	Teflon Cloth	Meter	3772	73	Pick	Set	250
35	Thermocrome Chalk (Germany Made)	No	2063	74	Crowbar	Set	450
36	Thermocrome Chalk (India Made)	No	945	75	4" C.I. Pipe with flange	rm	5913
37	Pick Axe	pc	500	76	Nut bolts for C.I. Pipe	Kg	180
38	Shovel	pc	450	77	Rotary piston ISO 4064 CI Body water meter	Pc	1750
39	Crow Bar 1"-5 ft	pc	800	78	Rotary piston ISO 4064 Brass Body water meter	Pc	1975

Note: VAT are not included in the above rate

२६२. स्याङ्जा जिल्लाको को घरभाडाका दररेट						
स्याङ्जा जिल्लाका विभिन्न स्थानहरूको आ.व. २०७८/०७९ कोलागी निम्नानुसार घरभाडा निर्धारण गर्ने निर्णय गरियो ।						
क्र.सं.	स्थान	घरको विवरण	प्रयोजन	दररेट / वर्ग फिट नै.रू.		कैफियत
				आ.व. ०७६/७७ को दर रेट	आ.व. ०७७/७८ को दर रेट	आ.व. ०७८/७९ को दर रेट
१	बजार क्षेत्रका मुख्य सडक	आर सि.सि.ढलान पक्की घर	व्यपारिक	३५ - ४०	३८ - ४३	३८ - ४३
			आवासिय	२० - २५	२२ - २५	२२ - २५
		कच्ची घर	व्यपारिक	२० - २२	२० - २२	२० - २२
			आवासिय	१५ - २०	१५ - २०	१५ - २०
२	बजार क्षेत्रका सहायक सडक आसपास	आर सि.सि.ढलान पक्की घर	व्यपारिक	१५ - २०	१५ - २०	१५ - २०
			आवासिय	१५	१५	१५
		कच्ची घर	व्यपारिक	१२	१२	१२
			आवासिय	१०	१०	१०


नोट : पार्किङ स्थल एवं भौतिक सुविधा सम्पन्न स्थानमा रहेका घरहरूको हकमा माथि उल्लेखित दररेटमा २० प्रतिशत थप गर्न सकिने छ ।

- नोट :**
- माथि उल्लेखित दररेटमा नपरेका निर्माण सामग्री मध्ये वाटर सप्लाइ स्यानिटेशन, विद्युतीकरण तथा अन्य विभिन्न महलमा छुट भएका सामानहरूको दररेट सम्बन्धमा नेपाल सरकार बाट निर्धारित दररेट वा उत्पादक/अधिकृत विक्रेताहरू मध्येको आधिकारिक न्यूनतम दररेटलाई आधार मानी दररेट कायम गर्ने
 - जि.आई.पाइप तथा फिटिङ्स वेल्डीङ गर्दा नर्मस अनुसार प्रति ज्वाइन्ट निकाली कार्य गर्ने ।
 - नवीकरणीय उर्जा सम्बन्धी (बायोग्यास, सोलार, लघु जलविद्युत, बायु उर्जा, सुधारिएको चूलो आदी) निर्माण कार्यका लागि बैकल्पिक उर्जा प्रबर्धन केन्द्र वा सो कार्यसंग सम्बन्धित उत्पादक/अधिकृत विक्रेता कम्पनिको दररेट लाई नै दररेट कायम गरी कार्य गर्ने ।
 - विशेष क्षेत्रको निर्माण कार्यको प्रयोग हुने सामग्री **Admixture** को हकमा उत्पादक/अधिकृत विक्रेताबाट प्राप्त हुने तत्कालीन बजार मूल्यको आधारमा दररेट कायम गरी कार्य गर्ने।
 - माथि उल्लेखित दररेटमा नपरेका निर्माण सामग्रीहरूको हकमा छिमेकी जिल्लाहरूको दररेटलाई आधार बनाई दररेट कायम गर्ने र सोही अनुसार दररेट तयार गरी कार्य गर्ने र सो समेत हुन नसकेमा उत्पादक अधिकृत विक्रेता तथा बजार बाट दरभाउ लिई सरदर दर रेट कायम गरी गरी कार्यान्वयन गर्ने ।
 - माथि उल्लेखित दररेट हरू मध्ये पी.पी.आर. पाइप र फिटिङ्ग्स को दर रेट बाहेक अन्य सबै आइटमको दर रेटमा **मल्य अभिवृद्धि कर (VAT)** समावेश गर्नपर्नेछ ।
 - माथि उल्लेखित दररेट स्याङ्जा जिल्लाबाट पास हुने सिद्धार्थ लोकमार्गको १ कि.मि. दायां बायांको लागी हो । सो भन्दा टाढाका स्थानहरूमा दररेट निर्धारण गर्दा लोकमार्गको १ कि.मि. टाढाबाट ढुवानी जोडी हुन आउने दरलाई कायम गर्ने ।


(Handwritten signatures and initials)

Asian Concrete Pvt Ltd
District Rate List FY 2078-79


S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	22.26	12 569.17
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	23.66	13 357.71
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	19.25	13 831.48
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	20.18	14 503.05
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	144.18	1 945.75
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	165.78	2 237.25
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	113.67	1 534.01
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	129.87	1 752.63
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	96.44	1 301.54
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	108.32	1 461.86
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
6	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	35.49	1 053.94
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	41.81	1 241.78
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	44.11	1 310.08
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	42.15	1 251.68
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	48.19	1 430.98
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	50.49	1 499.28
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	50.00	1 484.94
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	56.79	1 686.44
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	59.20	1 758.16
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	59.46	1 765.67
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	65.78	1 953.51
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	68.08	2 021.81



S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	36.56	1 829.12
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	43.79	2 190.87
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	51.03	2 553.06
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	75.78	3 791.35
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	83.00	4 152.72
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	85.89	4 297.27
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	34.85	1 282.69
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	45.19	1 663.33
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	54.20	1 995.08
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	53.82	1 981.22
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	65.73	2 419.36
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	77.89	2 867.27
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	42.50	1 472.66
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	52.42	1 816.37
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	59.50	2 061.66
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	52.83	2 086.72
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	64.76	2 557.97
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	76.80	3 033.47
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	95.88	3 787.22
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	103.10	4 072.51
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	105.99	4 186.62
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
17	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	53.75	1 586.48
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	63.75	1 881.63
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	70.84	2 090.84
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
18	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	69.03	1 725.31
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	84.56	2 113.53
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	99.99	2 499.36
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
19	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	16.98	1 697.58
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	20.51	2 050.75



S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	24.11	2 411.06
20	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	65.80	1 754.35
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	77.00	2 053.07
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	84.00	2 239.72
21	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	71.40	1 784.63
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	81.20	2 029.72
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	88.20	2 204.69
22	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	220.99	1 381.54
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	242.34	1 514.98
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	269.77	1 686.48
23	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1 248.12	1 302.69
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1 361.94	1 421.48
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1 541.78	1 609.18
24	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2 879.50	2 768.15
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3 092.00	2 972.43
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3 223.25	3 098.61
25	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	452.00	1 882.18
26	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	359.53	1 197.24
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	375.73	1 251.19
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	408.13	1 359.08
27	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	287.17	956.28
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	308.77	1 028.21
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	335.77	1 118.12
	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	351.22	1 404.86


 28

28	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	367.42	1 469.66
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	399.82	1 599.26
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
29	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	405.00	1 348.65
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	432.00	1 438.56
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	453.60	1 510.49
S.No	Description of Items	MRP Per Set (Ex VAT)	MRP Per RM (Ex VAT)
30	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	505.20	1 682.30

